







THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	- , - .
© COPYRIGHT - By -	ALL RIGHTS RESERVED.	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	—	—	—




SOFT TRAY	BLUE(2935U)	BLUE(2935U)	15u"	3.57	2.67	7-2308107-1
SOFT TRAY	NATURAL	BLUE(2935U)	30u"	3.85	3.18	7-2308107-0
SOFT TRAY	BLACK_260°C	BLACK_260°C	15u"	3.57	2.67	6-2308107-8
SOFT TRAY	NATURAL	NATURAL	15u"	3.85	3.18	6-2308107-7
SOFT TRAY	NATURAL	BLACK	15u"	3.57	2.40	6-2308107-6
SOFT TRAY	NATURAL	BLUE(2935U)	15u"	3.85	3.18	6-2308107-5
SOFT TRAY	NATURAL	BLACK	15u"	3.85	3.18	6-2308107-4
SOFT TRAY	NATURAL	BLACK	30u"	3.57	2.67	6-2308107-3
SOFT TRAY	NATURAL	NATURAL	30u"	3.85	3.18	6-2308107-2
SOFT TRAY	GREEN(375C)	BLACK	30u"	3.85	3.18	6-2308107-1
SOFT TRAY	NATURAL	BLACK	30u"	3.85	3.18	6-2308107-0
SOFT TRAY	BLACK	BLACK	30u"	3.85	3.18	5-2308107-9
SOFT TRAY	NATURAL	NATURAL	30u"	3.57	2.10	5-2308107-8
SOFT TRAY	BLACK	BLACK	30u"	3.57	2.10	5-2308107-7
SOFT TRAY	BLACK	BLACK	30u"	3.57	2.67	5-2308107-6
SOFT TRAY	NATURAL	NATURAL	30u"	3.57	2.67	5-2308107-5
SOFT TRAY	BLACK	BLACK	15u"	3.57	2.67	5-2308107-4
SOFT TRAY	NATURAL	NATURAL	15u"	3.57	2.67	5-2308107-3
SOFT TRAY	NATURAL	BLUE(2935U)	15u"	3.57	2.67	5-2308107-2
SOFT TRAY	NATURAL	BLACK	15u"	3.57	2.67	5-2308107-1
PACKING	LATCH COLOR	HOUSING COLOR	CONTACT GOLD INTERFACE 	DIM H	DIM L	PART NUMBER

SHORT LATCH TYPE

SOFT TRAY	NATURAL	YELLOW(107C)	15u"	3.57	2.67	4-2308107-4
SOFT TRAY	BLACK	BLACK	15u"	3.57	2.67	4-2308107-3
SOFT TRAY	BLUE(2935U)	BLUE(2935U)	30u"	3.85	3.18	4-2308107-2
HARD TRAY	BLUE(2935U)_260°C	BLUE(2935U)_260°C	15u"	3.85	3.18	4-2308107-1
HARD TRAY	BLACK_260°C	BLACK_260°C	15u"	3.85	3.18	4-2308107-0
SOFT TRAY	NATURAL	YELLOW(107C)	30u"	3.57	2.67	3-2308107-5
SOFT TRAY	NATURAL	YELLOW(107C)	30u"	3.57	2.40	3-2308107-1
SOFT TRAY	NATURAL	BLACK	30u"	3.57	2.40	3-2308107-0
SOFT TRAY	NATURAL	BLACK	15u"	3.57	2.67	2-2308107-7
SOFT TRAY	NATURAL	BLUE(2935U)	15u"	3.57	2.67	2-2308107-4
SOFT TRAY	NATURAL	BLACK	30u"	3.57	2.40	2-2308107-3
SOFT TRAY	NATURAL	BLACK	30u"	3.85	3.18	2-2308107-2
SOFT TRAY	NATURAL	BLACK	15u"	3.57	2.40	2-2308107-1
SOFT TRAY	BLUE(2935U)	BLUE(2935U)	15u"	3.85	3.18	2-2308107-0
SOFT TRAY	GREEN(375C)	GREEN(375C)	15u"	3.85	3.18	1-2308107-9
SOFT TRAY	NATURAL	NATURAL	15u"	3.85	3.18	1-2308107-8
SOFT TRAY	BLACK	BLACK	15u"	3.85	3.18	1-2308107-7
SOFT TRAY	BLACK	BLACK	30u"	3.57	2.10	1-2308107-6
SOFT TRAY	NATURAL	BLACK	30u"	3.57	2.10	1-2308107-5
SOFT TRAY	GREEN(375C)	BLACK	30u"	3.57	2.10	1-2308107-4
SOFT TRAY	BLACK	BLACK	30u"	3.57	2.67	1-2308107-3
SOFT TRAY	NATURAL	BLACK	30u"	3.57	2.67	1-2308107-2
SOFT TRAY	GREEN(375C)	BLACK	30u"	3.57	2.67	1-2308107-1
SOFT TRAY	NATURAL	BLACK	15u"	3.57	2.10	1-2308107-0
SOFT TRAY	NATURAL	BLUE(2935U)	15u"	3.57	2.10	2308107-9
SOFT TRAY	NATURAL	GREEN(375C)	15u"	3.57	2.10	2308107-8
SOFT TRAY	NATURAL	BLACK	15u"	3.85	3.18	2308107-7
SOFT TRAY	NATURAL	BLUE(2935U)	15u"	3.85	3.18	2308107-6
SOFT TRAY	NATURAL	NATURAL	30u"	3.57	2.40	2308107-5
SOFT TRAY	BLACK	BLACK	30u"	3.57	2.40	2308107-4
SOFT TRAY	NATURAL	GREEN(375C)	15u"	3.57	2.40	2308107-3
SOFT TRAY	NATURAL	BLUE(2935U)	15u"	3.57	2.40	2308107-2
SOFT TRAY	BLACK	BLACK	15u"	3.57	2.40	2308107-1
PACKING	LATCH COLOR	HOUSING COLOR	CONTACT GOLD INTERFACE 	DIM H	DIM L	PART NUMBER

LONG LATCH TYPE

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 15AUG2016 DAVID ZHAO CHK 15AUG2016 SIMON LI		 TE Connectivity			
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: APVD 15AUG2016 COREL WANG PRODUCT SPEC 108 APPLICATION SPEC —					
		0 PLC ± — 1 PLC ± 0.25 2 PLC ± 0.15 3 PLC ± -0.10 4 PLC ± — ANGLES ± —		NAME SOCKET ASSEMBLY DDR4 DIMM,T/H TYPE 288 POSITION			
		MATERIAL —					
FINISH —		WEIGHT —		SIZE A2	CAGE CODE 00779	DRAWING NO C-2308107	RESTRICTED TO —
CUSTOMER DRAWING					SCALE 1:1	SHEET 3 of 7	REV 22



NATURAL	NATURAL	BLUE(2935U)	15u" MIN.	3.85	2.67	9-2308107-2
		BLACK		3.85	2.67	9-2308107-1
FIXED LATCH COLOR	ACTIVITY LATCH COLOR	HOUSING COLOR	CONTACT GOLD INTERFACE	DIM H	DIM L	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID ZHAO	15AUG2016	TE Connectivity		
		CHK SIMON LI	15AUG2016			
DIMENSIONS: mm 		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± 0.25 2 PLC ± 0.15 3 PLC ± -0.10 4 PLC ± - ANGLES ± -		NAME		
		APVD COREL WANG		SOCKET ASSEMBLY		
		PRODUCT SPEC 108-115124		DDR4 DIMM,T/H TYPE		
		APPLICATION SPEC		288 POSITION		
MATERIAL		FINISH		SIZE	CAGE CODE	DRAWING NO
-		-		WEIGHT	RESTRICTED TO	
				7.6g	-	
CUSTOMER DRAWING				A2	00779	C=2308107
				SCALE	SHEET	REV
				1:1	4 OF 7	22




VIEWED FROM CONNECTOR SIDE



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID ZHAO 15AUG2016	 TE Connectivity					
		CHK SIMON LI 15AUG2016						
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD COREL WANG 15AUG2016	NAME SOCKET ASSEMBLY DDR4 DIMM,T/H TYPE 288 POSITION					
	0 PLC ± -	PRODUCT SPEC						
	1 PLC ± 0.25	108						
	2 PLC ± 0.15	APPLICATION SPEC						
	3 PLC ± -0.10	—	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO —		
	4 PLC ± -	—	A2	00779	C-2308107			
MATERIAL —	FINISH —	WEIGHT —						
CUSTOMER DRAWING			SCALE	1:1	SHEET	5 OF 7	REV	22

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



5.4kg	3.5kg	50	10	500
GROSS WEIGHT	NET WEIGHT	PCS/ TRAY	TRAY/ BOX	PCS/ BOX

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID ZHAO 15AUG2016	TE Connectivity		
		CHK SIMON LI 15AUG2016			
		APVD COREL WANG 15AUG2016	NAME		
		PRODUCT SPEC	SOCKET ASSEMBLY		
		108	DDR4 DIMM,T/H TYPE		
		APPLICATION SPEC	288 POSITION		
		WEIGHT -	SIZE A2	CAGE CODE 00779	DRAWING NO C=2308107
		CUSTOMER DRAWING	SCALE 1:1	SHEET 6 OF 7	REV 22

