

DALI LS/PD BASIC | Sensors for light management systems



Areas of application

- Conference rooms
- Individual offices
- Suitable for separate mounting

Product benefits

- Setup without software

Product features

- Light and presence sensor for luminaire installation and ceiling mounting
- Can also be used purely as a light sensor or purely as a presence sensor


Product datasheet

Technical data

Electrical data

System wattage	0.30 W
----------------	--------

Dimensions & weight



Length	59.0 mm
Width	71.0 mm
Height	42.0 mm
Product weight	90.00 g

Colors & materials

Product color	White
---------------	-------

Temperatures

Ambient temperature range	0...+50 °C
---------------------------	------------

Capabilities

Dimming interface	Analog
Maximum installation height	6 m
Detection angle	100 ° ¹⁾
Operating range, light sensor	0...400 lx ²⁾
Type of installation	Luminaire integration/On-top ceiling mounting

¹⁾ Approximately

²⁾ Approximately, measured at the sensor


Certificates & standards

Type of protection	IP20
--------------------	------

Product datasheet

Equipment / Accessories

- Direct mounting to fluorescent lamp in luminaire with supplied clip
- Suitable for DALI RC BASIC SO



Others graphics

Download Data

File	
	Brochures Scenes
	Declarations of conformity Declaration of conformity DALI LSPD BASIC DALI DALI RC BASIC SO DALI WCU
	Installation/Operation notice DALI LSPD BASIC light and presence sensor for surface mounting on ceilings

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300639949		Shipping carton box 50	400 mm x 270 mm x 310 mm	33.48 dm ³	5221.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.