



Wire & Cable > Hook Up Wire



Cable Type: **Spec 44**

Operating Voltage: **600 V**

Wire & Cable Insulation Material: **Modified Radiation Cross-linked PVDF**

Conductor Material: **Tin-Coated Copper**

Wire Size: **12 AWG**

Features

Product Type Features

Cable Style	Primary
-------------	---------

Configuration Features

Number of Strands	37
Number of Conductors	1

Electrical Characteristics

Operating Voltage	600 V
-------------------	-------

Body Features

Wire & Cable Insulation Material	Modified Radiation Cross-linked PVDF
Conductor Material	Tin-Coated Copper
Wire Color (Base)	Black

Dimensions

Strand Size	28 AWG
Outside Cable Diameter	2.74 mm[.108 in]
Conductor Diameter Range	2.24 mm[.088 in]
Wire Size	12 AWG

Usage Conditions

Cable Type	Spec 44
------------	---------



Operating Temperature Range

-65 – 150 °C[-85 – 302 °F]

Other

Product Source	US
----------------	----

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Out of Scope - excluded from Halogen requirements
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>








Compatible Parts



TE Part # 650076-000
[D-436-38](#)

Customers Also Bought



 TE Part #282002-014 44A0111-16-2	 TE Part #2857543007 44A0111-26-4	 TE Part #2822623004 44A0111-12-0	 TE Part #2820203012 44A0111-20-0
 TE Part #9088924002 DR-25-TW-3/8-0-SP	 TE Part #63824-1 250 FASTON TAB TPBR	 TE Part #6-160449-2 FF 250 REC 1.0-2.5MM2 TPPB LP	 TE Part #160458-2 FF 250 TAB 18-16AWG TPPB LP
 TE Part #180940 FF 250 TAB HSG 3P NYLON NAT	 TE Part #180941 FF 250 REC HSG 3P NYLON NAT		

Documents

Product Drawings
44A0111-12-0

English

Datasheets & Catalog Pages
Raychem Wire and Cable Quick Reference Guide

English

Product Specifications
Product Specification

English