Part Number : 466261405
Product Description : KK Plus 250 Female Crimp Terminal, 28-26 AWG, Tin (Sn) Plating, Reel
Series Number : 46626
Status : Active
Product Category : Crimp Terminals



Documents & Resources

Drawings

466261405_sd.pdf

PK-46626-001-001.pdf

STEP AP242

SOLIDWORKS

Creo

Specifications

2079020001-AS-000.pdf

2079020001-PS-000.pdf

2079020001-PS-CH-000.pdf

2079020001-PS-ES-000.pdf

2079020001-PS-JP-000.pdf

2079020001-PS-SK-000.pdf

2079020000-TS-000.pdf

Product Environment Compliance

Compliance

GADSL/IMDS	Compliant with Exemption 44
China RoHS	per SJ/T 11365-2006
EU ELV	Not Relevant
Low-Halogen Status	Low-Halogen per IEC 61249-2-21
REACH SVHC	Not Contained per D(2025)4165-DC (25 June 2025)

EU RoHS	Compliant per EU 2015/863

Compliance Statements
- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents
- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest
- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

Part Details

General

Status	Active
Category	Crimp Terminals
Series	46626
Description	KK Plus 250 Female Crimp Terminal, 28-26 AWG, Tin (Sn) Plating, Reel
Application	Power, Wire-to-Board
Product Name	KK Plus
UPC	191130122141

Electrical

Current - Maximum per Contact	6.5A
Voltage - Maximum	250V AC (RMS)/DC

Physical

Durability (mating cycles max)	25
Gender	Female
Material - Metal	Copper Alloy

Material - Plating Mating	Tin
Material - Plating Termination	Tin
Net Weight	0.043/g
Packaging Type	Reel
Termination Interface Style	Crimp or Compression
Wire Insulation Diameter	1.17mm-1.30mm
Wire Size (AWG)	26, 28
Wire Size mm^2	0.08-0.13

Mates With / Use With

Use with Part(s)

Description	Part Number
KK Plus 250 Single Row Receptacle Housings	207841

Application Tooling

Global

Description	Part Number
Extraction Tool for KK Plus 250 Receptacle Crimp Terminals, 28-22 AWG	2002221000
Hand Crimp Tool for KK Plus 250 Female Crimp Terminals, 28-22 AWG, UL1007 Wire	2133090300
Hand Crimp Tool for KK Plus 250 Female Crimp Terminals, 28-26 AWG, UL1061 Wire	2133092200
FineAdjust Applicator for KK Plus 250 Female Crimp Terminal, 28-26 AWG, UL1007 Wire	639047500
