

F





E

D


C

B

A



参考パターンレイアウト
RECOMMENDED PATTERN DIM. (REF)
SCALE 5:1



番号 NO.	部品 PART	材質 MATERIAL
①	ウエハー WAFER	耐熱ナイロン樹脂 UL94V-0 色:表参照 ⑤ HEAT RESISTANCE NYLON .COLOR:SEE TABLE UL94V-0
②	ソルダーピン SOLDER PIN	りん青銅 PHOSPHOR BRONZE 錫メッキ: 1.0 μmMIN. TIN ニッケルメッキ (下地): 1.0 μmMIN. NICKEL(UNDER PLATING)
③	ネイル NAIL	黄銅 BRASS 錫メッキ: 1.0 μmMIN. TIN ニッケルメッキ (下地): 1.0 μmMIN. NICKEL(UNDER PLATING)



NOTES.

1. 嵌合相手: 501939-****
MATE WITH: 501939-****
2. ソルダーピン及びネイル平坦度は、0.1MAX.
SOLDER PIN AND NAIL COPLANARITY TO BE 0.1MAX.
- △ 極数=偶数に適用
APPLY FOR CKT SIZE=EVEN
- 4.ELV AND RoHS COMPLIANT.

4.0	5.2	7.0	5
3.0		6.0	4
2.0	4.2	5.0	3
C	B	A	極数 CIRCUITS

REVISED	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE 10:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
		10 UNDER	± 0.2	DRAWN BY NYOSHIDA	DATE 2005/09/16	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y 1-ROW R/A POSI-LOCK				
		10 OVER 30 UNDER	± 0.25	CHECKED BY AMIZUMURA	DATE 2005/09/16					
		30 OVER	± 0.3	APPROVED BY MYAGI	DATE 2005/09/16	MOLEX INCORPORATED				
		ANGULAR ±3 °		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE SHEET 2		SD-501953-001		1 OF 2		
		REV		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						


[illegible]



DETAIL "B"

NOTES

- 製品詳細寸法は製品単体図面を参照して下さい。
FOR DETAIL OF CONNECTOR DIMENSIONS, PLEASE SEE THE DRAWING OF CONNECTOR ITSELF (NOT PACKAGED).
- 梱包数量: 1300個/リール
NUMBER OF CONNECTORS: 1300PIECES/REEL
- リードテープ長さ
LEAD TAPE LENGTH



4. 材料

MATERIAL

キャリアテープ: ポリスチレン

CARRIER TAPE: POLYSTYRENE

トップテープ: PET、その他

TOP TAPE: PET, OTHER

リール: ポリスチレン<リサイクル材を含む>

REEL: POLYSTYRENE <RECYCLE MATERIAL CONTAINED>

5. ELV AND RoHS COMPLIANT.



6. ハイバリア梱包 (シリカゲル入り) 対応品である。(501953-**07除く)

THIS PRODUCT IS HIGH BARRIER PACKAGE.(WITH SILICAGEL)
(BESIDES 501953-**07)

7. 開梱後の保管条件に注意のこと。(ハイバリア品対象: PS-501940-001参照)

REFER TO PS-501940-001(HIGH BARRIER PRODUCT)
FOR CONDITIONS AFTER OPEN.

REVISED	EC NO: J2010-0339	DRWN: INAKAGAWA01	2009/09/01	CHKD: MATSUMOTO	2009/09/01	APPR: HIRATA	2009/09/01	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION		
										MM ONLY		---	METRIC			
								10 UNDER		± 0.2	DRAWN BY	DATE	TITLE		1.0 WIRE TO BOARD CONN. WAFER ASS'Y 1-ROW R/A EMBSTP PKG	
								10 OVER 30 UNDER		± 0.25	CHECKED BY	DATE				
								30 OVER		± 0.3	AMIZUMURA	2005/09/16				
								ANGULAR ± 3 °		APPROVED BY	DATE	 MOLEX INCORPORATED				
								DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MYAGI 2005/09/16						
MATERIAL NO.		DOCUMENT NO.		SHEET NO.												
SEE SHEET 3		SD-501953-002		1 OF 3												
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																



7.3	5
6.3	4
5.3	3
(A)	極数 CIRCUITS

CONNECTOR SERIES No. 501953-***9

SCALE ---	DESIGN UNITS METRIC	 THIRD ANGLE PROJECTION
--------------	------------------------	---

TITLE	1.0 WIRE TO BOARD CONN. WAFFER ASS'Y 1-ROW R/A EMBSTP PKG
-------	---

MOLEX INCORPORATED

DOCUMENT NO. SD-501953-002	SHEET NO. 2 OF 3
-------------------------------	---------------------

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
NYOSHIDA	2005/09/1
CHECKED BY	DATE
AMIZUMURA	2005/09/1
APPROVED BY	DATE
MYAGI	2005/09/1

MATERIAL NO.	DOCUMENT NO.	SHEET NO.
SEE SHEET 3	SD-501953-002	2 OF 3
SIZE A 3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	

REVISED	EC NO: J2010-0339	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		
	DRWN: TNAKAGAWA01		2009/09/01	10 UNDER	± 0.2
	CHKD: HWATSUMOTO		2009/09/01	10 OVER 30 UNDER	± 0.25
	APPR: HHI RATA		2009/09/01	30 OVER	± 0.3
	ANGULAR		± 3 °		
REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				

	10	9	8	7	6	5	4	3	2	1																																																												
F	CONFIDENTIAL											F																																																										
E												E																																																										
D												D																																																										
C	<table><tr><td></td><td>紫 VIOLET</td><td>橙 ORANGE</td><td>茶 BROWN</td><td>緑 GREEN</td><td>色 COLOR</td></tr><tr><td></td><td>501953-0597</td><td>501953-0587</td><td>501953-0577</td><td>501953-0567</td><td>5</td></tr><tr><td></td><td>501953-0497</td><td>501953-0487</td><td>501953-0477</td><td>501953-0467</td><td>4</td></tr><tr><td></td><td>501953-0397</td><td>501953-0387</td><td>501953-0377</td><td>501953-0367</td><td>3</td></tr><tr><td></td><td>EMBOSSSED PACKAGE</td><td>EMBOSSSED PACKAGE</td><td>EMBOSSSED PACKAGE</td><td>EMBOSSSED PACKAGE</td><td>極数</td></tr><tr><td></td><td>オーダー番号 ORDER NO.</td><td>オーダー番号 ORDER NO.</td><td>オーダー番号 ORDER NO.</td><td>オーダー番号 ORDER NO.</td><td>CIRCUITS</td></tr><tr><td colspan="6">CONNECTOR SERIES No. 501953-***9</td></tr></table>												紫 VIOLET	橙 ORANGE	茶 BROWN	緑 GREEN	色 COLOR		501953-0597	501953-0587	501953-0577	501953-0567	5		501953-0497	501953-0487	501953-0477	501953-0467	4		501953-0397	501953-0387	501953-0377	501953-0367	3		EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	極数		オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	CIRCUITS	CONNECTOR SERIES No. 501953-***9						C																
	紫 VIOLET	橙 ORANGE	茶 BROWN	緑 GREEN	色 COLOR																																																																	
	501953-0597	501953-0587	501953-0577	501953-0567	5																																																																	
	501953-0497	501953-0487	501953-0477	501953-0467	4																																																																	
	501953-0397	501953-0387	501953-0377	501953-0367	3																																																																	
	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	極数																																																																	
	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	CIRCUITS																																																																	
CONNECTOR SERIES No. 501953-***9																																																																						
B	<table><tr><td>青 BLUE</td><td>黄 YELLOW</td><td>赤 RED</td><td>黒 BLACK</td><td>自然色 NATURAL</td><td>色 COLOR</td></tr><tr><td>501953-0547</td><td>501953-0537</td><td>501953-0527</td><td></td><td>501953-0507</td><td>5</td></tr><tr><td>501953-0447</td><td>501953-0437</td><td>501953-0427</td><td>501953-0417</td><td>501953-0407</td><td>4</td></tr><tr><td>501953-0347</td><td>501953-0337</td><td>501953-0327</td><td>501953-0317</td><td>501953-0307</td><td>3</td></tr><tr><td>EMBOSSSED PACKAGE</td><td>EMBOSSSED PACKAGE</td><td>EMBOSSSED PACKAGE</td><td>EMBOSSSED PACKAGE</td><td>EMBOSSSED PACKAGE</td><td>極数</td></tr><tr><td>オーダー番号 ORDER NO.</td><td>オーダー番号 ORDER NO.</td><td>オーダー番号 ORDER NO.</td><td>オーダー番号 ORDER NO.</td><td>オーダー番号 ORDER NO.</td><td>CIRCUITS</td></tr><tr><td colspan="6">CONNECTOR SERIES No. 501953-***9</td></tr></table>											青 BLUE	黄 YELLOW	赤 RED	黒 BLACK	自然色 NATURAL	色 COLOR	501953-0547	501953-0537	501953-0527		501953-0507	5	501953-0447	501953-0437	501953-0427	501953-0417	501953-0407	4	501953-0347	501953-0337	501953-0327	501953-0317	501953-0307	3	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	極数	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	CIRCUITS	CONNECTOR SERIES No. 501953-***9						B																
青 BLUE	黄 YELLOW	赤 RED	黒 BLACK	自然色 NATURAL	色 COLOR																																																																	
501953-0547	501953-0537	501953-0527		501953-0507	5																																																																	
501953-0447	501953-0437	501953-0427	501953-0417	501953-0407	4																																																																	
501953-0347	501953-0337	501953-0327	501953-0317	501953-0307	3																																																																	
EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	EMBOSSSED PACKAGE	極数																																																																	
オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	オーダー番号 ORDER NO.	CIRCUITS																																																																	
CONNECTOR SERIES No. 501953-***9																																																																						
A	<table><tr><td rowspan="5">REVISED EC NO: J2010-0339 DRWN: TNAKAGAWA01 2009/09/01 CHKD: HMATSUMOTO 2009/09/01 APPR: HHIRATA 2009/09/01 REV G</td><td rowspan="5">DESCRIPTION</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE MM ONLY</td><td>SCALE ---</td><td>DESIGN UNITS METRIC</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>10 UNDER</td><td>± ---</td><td>DRAWN BY NYOSHIDA</td><td>DATE 2005/09/16</td><td colspan="5" rowspan="3">TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y 1-ROW R/A EMBSTP PKG MOLEX INCORPORATED</td></tr><tr><td>10 OVER 30 UNDER</td><td>± ---</td><td>CHECKED BY AMIZUMURA</td><td>DATE 2005/09/16</td></tr><tr><td>30 OVER</td><td>± ---</td><td>APPROVED BY MYAGI</td><td>DATE 2005/09/16</td></tr><tr><td colspan="2">ANGULAR ± --- °</td><td colspan="2">MATERIAL NO.</td><td colspan="5">DOCUMENT NO.</td><td>SHEET NO.</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE TABLE</td><td colspan="5">SD-501953-002</td><td>3 OF 3</td></tr><tr><td colspan="2"></td><td colspan="2">SIZE A3</td><td colspan="7">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>											REVISED EC NO: J2010-0339 DRWN: TNAKAGAWA01 2009/09/01 CHKD: HMATSUMOTO 2009/09/01 APPR: HHIRATA 2009/09/01 REV G	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		10 UNDER	± ---	DRAWN BY NYOSHIDA	DATE 2005/09/16	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y 1-ROW R/A EMBSTP PKG MOLEX INCORPORATED					10 OVER 30 UNDER	± ---	CHECKED BY AMIZUMURA	DATE 2005/09/16	30 OVER	± ---	APPROVED BY MYAGI	DATE 2005/09/16	ANGULAR ± --- °		MATERIAL NO.		DOCUMENT NO.					SHEET NO.	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-501953-002					3 OF 3			SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							A
REVISED EC NO: J2010-0339 DRWN: TNAKAGAWA01 2009/09/01 CHKD: HMATSUMOTO 2009/09/01 APPR: HHIRATA 2009/09/01 REV G	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																																														
		10 UNDER	± ---	DRAWN BY NYOSHIDA	DATE 2005/09/16	TITLE 1.0 WIRE TO BOARD CONN. WAFER ASS'Y 1-ROW R/A EMBSTP PKG MOLEX INCORPORATED																																																																
		10 OVER 30 UNDER	± ---	CHECKED BY AMIZUMURA	DATE 2005/09/16																																																																	
		30 OVER	± ---	APPROVED BY MYAGI	DATE 2005/09/16																																																																	
		ANGULAR ± --- °		MATERIAL NO.		DOCUMENT NO.					SHEET NO.																																																											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		SEE TABLE		SD-501953-002					3 OF 3																																																													
		SIZE A3		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																		
	tb_frame_A3_J_ME_S Rev. E 2006/04/15	9	8	7	6	5	4	3	2	1	EN-02JA(021)																																																											