

EUROCARD


TE Internal #: 5535032-4

Receptacle, Board-to-Board, 96 Position, 2.54 mm [.1 in] Centerline,  
Printed Circuit Board, 3 Row, Vertical, 32 Column, Eurocard  
Connectors

[View on TE.com >](#)



Connectors > PCB Connectors > Backplane Connectors > Eurocard Connectors



Connector & Housing Type: **Receptacle**  
Connector System: **Board-to-Board**  
Termination Post & Tail Length: **4.83 mm [ .19 in ]**  
Number of Positions: **96**  
Centerline (Pitch): **2.54 mm [.1 in ]**

Features

Product Type Features

|                                   |                       |
|-----------------------------------|-----------------------|
| Connector & Housing Type          | Receptacle            |
| Connector System                  | Board-to-Board        |
| Connector & Contact Terminates To | Printed Circuit Board |
| DIN Size                          | Standard              |
| DIN Level                         | II                    |

Configuration Features

|                            |          |
|----------------------------|----------|
| Number of Positions        | 96       |
| Number of Rows             | 3        |
| PCB Mount Orientation      | Vertical |
| Number of Columns          | 32       |
| Rows Loaded                | A, B, C  |
| Number of Signal Positions | 96       |

Body Features

|                       |      |
|-----------------------|------|
| Primary Product Color | Gray |
|-----------------------|------|



Contact Features

|                                                |                 |
|------------------------------------------------|-----------------|
| Contact Base Material                          | Phosphor Bronze |
| PCB Contact Termination Area Plating Material  | Tin             |
| Contact Type                                   | Socket          |
| Contact Mating Area Plating Material Thickness | 1.27 µm         |
| Contact Current Rating (Max)                   | 3 A             |

Termination Features

|                                |                          |
|--------------------------------|--------------------------|
| Termination Method to PCB      | Through Hole - Press-Fit |
| Termination Post & Tail Length | 4.83 mm[.19 in]          |

Mechanical Attachment

|                          |                       |
|--------------------------|-----------------------|
| Connector Mounting Type  | Board Mount           |
| Mating Retention         | Without               |
| PCB Mount Retention Type | Action/Compliant Tail |
| Mating Alignment Type    | Polarization          |
| Mating Alignment         | With                  |
| PCB Mount Retention      | With                  |

Housing Features

|                    |                |
|--------------------|----------------|
| Housing Material   | Polyester GF   |
| Centerline (Pitch) | 2.54 mm[.1 in] |

Dimensions

|                             |                  |
|-----------------------------|------------------|
| PCB Thickness (Recommended) | 1.57 mm[.062 in] |
| Row-to-Row Spacing          | 2.54 mm[.1 in]   |

Usage Conditions

|                             |                            |
|-----------------------------|----------------------------|
| Operating Temperature Range | -55 – 105 °C[-67 – 221 °F] |
|-----------------------------|----------------------------|

Operation/Application

|                     |        |
|---------------------|--------|
| Shielded            | No     |
| Circuit Application | Signal |

Industry Standards

|                        |          |
|------------------------|----------|
| UL Flammability Rating | UL 94V-0 |
|------------------------|----------|

Packaging Features

|                  |     |
|------------------|-----|
| Packaging Method | Box |
|------------------|-----|



Product Compliance

For compliance documentation, visit the product page on TE.com>

|                                               |                                                                                                                                 |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Compliant                                                                                                                       |
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                       |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                         |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JUNE 2025 (250)<br>Does not contain REACH SVHC |
| Halogen Content                               | Not Low Halogen - contains Br or Cl > 900 ppm.                                                                                  |
| Solder Process Capability                     | Not applicable for solder process capability                                                                                    |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 5536366-5  
ASSY,PIN,EURO,TYPE C,LEAD-FREE,  
% POS.,.


TE Part # 650473-8  
096 EURO TYPE C PIN ST ASSY

TE Part # 650473-3  
096 EURO TYPE C PIN ST ASSY


TE Part # 2-1393640-4  
V42254B2102C960=PC612 FEDERLEI




TE Part # 5536146-5  
ASSY,PIN,ENH.TYPE C,EUROCARD,L-FREE,5 RO




TE Part # 5536148-5  
ASSY,PIN,ENH.TYPE C,EUROCARD,L-FREE,5ROW



TE Part # 215605-4  
96P.IEC-C MALE CONN



TE Part # 148059-5  
096 EURO TYP C RECP 17MM ASSY



TE Part # 5650470-5  
ASSY,PIN,EUROCARD,TYPE R,LEAD-FREE,5 RO



TE Part # 5650897-5  
ASSY,RECEPT,EURO,TYPE R,L-FREE,A&C,64/96



TE Part # 5650963-4  
ASSY,RECEPTACLE,EUROCARD,TYPE



TE Part # 5650963-5  
ASSY,RECEPTACLE,EUROCARD,TYPE



TE Part # 535032-4  
096 EURO TYPE C RECEPT AP ASSY



TE Part # 5148116-5  
ASSY,PIN,EUROCARD,TYPE C,LEAD-FREE,96 PO



TE Part # 5148292-5  
ASSY,RECEPTACLE,EUROCARD,TYPE



TE Part # 5535090-5  
ASSEMBLY,RECEPTACLE,EUROCARD,T



TE Part # 5536019-5  
ASSY,PIN,EUROCARD,TYPE R,LEAD-FREE,96 PO



TE Part # 5536418-5  
ASSY,RECEPT,EURO,TYPE C,LEAD-F




TE Part # 5535090-4  
ASSEMBLY,RECEPTACLE,EUROCARD,T



TE Part # 650461-4  
096 EURO TYPE R RECPT ASSY


Customers Also Bought



TE Part #953363-1  
6pos MQS .63 header 180deg



TE Part #1393114-1  
KUEP-3D15-24=KU-



TE Part #4-1474678-4  
FSK-11.6D-18



TE Part #6-1622825-5  
RL73K 2B R10 5% 5K RL



Documents

Product Drawings

ASSY,RECEPTACLE,EUROCARD,TYPE

English

CAD Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_5535032-4\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_5535032-4\_A.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_5535032-4\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

English

Application Specification

English

Agency Approvals

UL

English

5535032-4

Receptacle, Board-to-Board, 96 Position, 2.54 mm [.1 in] Centerline, Printed Circuit Board, 3 Row, Vertical, 32 Column, Eurocard Connectors

