

RAYCHEM


TE Internal #: 351053-000

600 VAC, Tin-Coated Copper, 20 AWG, -65 – 150 °C, Twisted Pair Cable

[View on TE.com >](#)



Wire & Cable > Twisted Pair Cable > NEMA WC27500: Crosslinked ETFE Lightweight Cables



Operating Temperature Range: -65 – 150 °C [-85 – 302 °F]

Cable Type: MIL-DTL-27500

Operating Voltage: 600 VAC

Wire & Cable Insulation Material: Modified Radiation Cross-linked ETFE Polymer

Conductor Material: Tin-Coated Copper

[All NEMA WC27500: Crosslinked ETFE Lightweight Cables \(228\)](#)

Features

Product Type Features

Cable Style	Primary
-------------	---------

Configuration Features

Number of Strands	19
-------------------	----

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Body Features

Wire Color (Stripe)	Blue, No Stripe
Wire Color (Base)	White
Wire & Cable Insulation Material	Modified Radiation Cross-linked ETFE Polymer
Conductor Material	Tin-Coated Copper

Dimensions

Strand Size	32 AWG
Outside Cable Diameter	2.66 mm[.102 in]
Conductor Diameter Range	.94 mm[.037 in]
Wire Size	20 AWG



Usage Conditions

Operating Temperature Range	-65 – 150 °C[-85 – 302 °F]
Cable Type	MIL-DTL-27500

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Out of Scope - excluded from Halogen requirements
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 650075-000
[D-436-37](#)


Customers Also Bought




TE Part #583867-000
55PC0221-12-9/96



TE Part #650084-000
D-436-60



TE Part #620005-000
D-104-00



TE Part #216113-001
22759/32-20-9



TE Part #650140-000
D-436-53




TE Part #587725-000
S03-08-R



TE Part #53425-1
TERMINAL,PIDG PVF2 R 12-10 10



TE Part #321867
TERMINAL SOLIS RING 1/0 5/16



TE Part #324486
SPARE WIRE CAP,BLU .120-.145 INS.



TE Part #9105556001
TMS-CCUV-SLEEVE-8-X-65MM

Documents

Product Drawings
55A0121-20-9/96CS2275

English

Datasheets & Catalog Pages
Raychem Wire and Cable Quick Reference Guide

English

MIL-SPEC WIRE AND CABLE
English