55A1151-26-0/2/4/5/6-9 ✔ ACTIVE


RAYCHEM

TE Internal #: 4121313001

600 VAC, Tin-Coated Copper, 26 AWG, -65 – 150 °C, Twisted Pair Cable

View on TE.com >

Wire & Cable > Twisted Pair Cable > General Purpose 5 Core Cable: Tin Coated Copper



Operating Temperature Range: **-65 – 150 °C [-85 – 302 °F]**

Cable Type: **Spec 55**

Operating Voltage: **600 VAC**

Wire & Cable Insulation Material: **Modified Radiation Cross-linked ETFE Polymer**

Conductor Material: **Tin-Coated Copper**

All General Purpose 5 Core Cable: Tin Coated Copper (9)

Features

Electrical Characteristics

Operating Voltage	600 VAC

Body Features

Wire & Cable Insulation Material	Modified Radiation Cross-linked ETFE Polymer
Conductor Material	Tin-Coated Copper

Dimensions

Wire Size	26 AWG

Usage Conditions

Operating Temperature Range	-65 – 150 °C[-85 – 302 °F]
Cable Type	Spec 55

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 650074-000
D-436-36

Customers Also Bought



TE Part #ASDD206-09PN-HE
RECEPT ASSY 2 HOLE MTG



TE Part #ASU603-05PD-HE
PLUG ASSY ASU 5 WAY



TE Part #ASL006-05PB-HE952K
RECEPT.ASSY.2 HOLE. AS MICRO MK3. FUEL I



TE Part #ASU103-05PA-HE
INLINE RECEPT ASSY ASU 5 WAY



TE Part #727361-000
202A111-25/225-0



TE Part #AS114-19PN
RECEPT.CABLE COUP.TYPE 1



TE Part #ASL606-05SB-HE952K
PLUG ASSY.MICRO MK3. 952K.FUEL IMMERSIBL



TE Part #ASL106-05PN-HE952K
RECEPT.ASSY.IN-LINE. AS MICRO MK3.952K.



TE Part #ASL606-05SN-HE
PLUG ASSY. AS MICRO MK3.

TE Part #YAS210-02SN0000000
RECEPTACLE ASSEMBLY.2 HOLE. TYPE 2.

Documents

Product Drawings

55A1151-26-0/2/4/5/6-9

English

Datasheets & Catalog Pages

Raychem Wire and Cable Quick Reference Guide

English