62879-1 ✔ ACTIVE


TE Internal #: 62879-1

Tab, 24 – 20 AWG, .2 – .5 mm² Wire, Bag, Unplated Plating, 13 mm [.515 in] Length, -40 – 105 °C [-40 – 221 °F]

View on TE.com >

Terminals & Splices > Special Purpose Terminals





Special Purpose Terminal Type: **Tab**

Wire Size: **.2 – .5 mm²**

Terminal Material Thickness: **.3 mm [.012 in]**

Terminal Plating Material: **Unplated**

Features

Product Type Features

Wire Insulation Support Retention Type	Non-Insulation Support
Sealable	No

Contact Features

Special Purpose Terminal Type	Tab
Terminal Plating Material	Unplated

Mechanical Attachment

Wire Insulation Support	Without

Dimensions

Wire Size	.2 – .5 mm²
Terminal Material Thickness	.3 mm[.012 in]
Product Length	13 mm[.515 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]

Packaging Features

Packaging Quantity	1000
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought



TE Part #235165-E
M12 MALE, A CODE, RA, 5P THR REAR MOUNT



TE Part #ADP-SMAF-SMPF-G
SMA Jack to SMP Jack



TE Part #1-1393118-4
KUP-14D15-24=KU-



TE Part #1394133-1
SINGLE WIRE SEAL BLUE




TE Part #1-1418448-2
3POS MCP1.5k REC HSG CO MID POS CLOSED




TE Part #1565917-4
EMBOSS ASSY DDR2 SODIMM SOCKET 200P 5.2H



TE Part #1571999-4
ADP02STR04=PIANO DIP SWITCH



TE Part #1825140-2
MGDH04STR04=1/2 PITCH LOW P DIP T&R



TE Part #3-2176338-7
CRGCQ 0402 1M0 5%



TE Part #5787617-1
RECP ASSY, R/A, STACKED, THRU-HOLE, USB,

Documents

Product Drawings

UNIVERSAL BATTERY CONTACT 24-20 AWG BR

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_62879-1_T.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_62879-1_T.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_62879-1_T.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Universal Battery Contact

English

Application Specification

English