
63895-1 ✔ ACTIVE

TE Internal #: 63895-1

Grounding Clip, 18 – 14 AWG, .8 – 2 mm² Wire, Straight, Reel, Unplated Plating, 18.54 mm [.73 in] Length, Wire Insulation Support

View on TE.com >

Terminals & Splices > Special Purpose Terminals







Special Purpose Terminal Type: **Grounding Clip**

Wire Size: **.8 – 2 mm²**

Terminal Plating Material: **Unplated**

Product Length: **18.54 mm [.73 in]**

Features

Product Type Features

Sealable	No

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire

Contact Features

Special Purpose Terminal Type	Grounding Clip
Terminal Plating Material	Unplated
Terminal Orientation	Straight

Mechanical Attachment

Wire Insulation Support	With

Dimensions

Wire Size	.8 – 2 mm²
Product Length	18.54 mm[.73 in]
Compatible Insulation Diameter (Max)	3.17 mm[.125 in]
Compatible Insulation Diameter Range	2.29 – 3.18 mm[.9 – .125 in]

Usage Conditions

Insulation Option	Uninsulated

Packaging Features

Packaging Quantity	5000
Packaging Method	Reel

Product Compliance


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts



TE Part # 7-2150464-7
OCEAN_2.0_SPARE_PART_KIT-110F180F



TE Part # 63575-1
GROUND CLIP 14-18AWG ST



TE Part # 1986548-1
GROUND CLIP 2X18AWG TPST



TE Part # 2150464-2
OCEAN_2.0_Applicator-E-110F180F-REA


Customers Also Bought



TE Part #350699-1
UMNL SPLIT PIN PTPBR




TE Part #1241965-6
STD-TIMER GEH 6P




TE Part #2-1241965-4
STD TIMER PLUG HSG 4P W/EXT. LOCKING



TE Part #1586851-1
02P UMNL PLUG HSG, GW



TE Part #1586856-1
02P UMNL CAP HSG, GW



TE Part #1586862-8
8P FH PLUG VAL-U-LOK FH GW

TE Part #2296205-2
2P RCPT VAL-U-LOK GWT/V0

TE Part #2296205-6
6P RCPT VAL-U-LOK GWT/V0



TE Part #2-1241965-6
6POS STD TIMER HOUSING W.EXT. LOCK



TE Part #1-2232265-2
PTL HWI PLUG HOUSING 1X3 KEY A BLACK

Documents

Product Drawings

GROUND CLIP 14-18AWG ST

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_63895-1_H.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_63895-1_H.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_63895-1_H.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English

Agency Approvals

UL

English