640254-2 ✔ ACTIVE

SL-156

TE Internal #: 640254-2

Keying Plug, SL-156

View on TE.com >

Connectors > Connector Accessories > Connector Hardware







Hardware Accessory Function: **Coding & Keying**

Connector Hardware Accessory Type: **Keying Plug**

Operating Temperature (Max): **105 °C [221 °F]**

Operating Temperature Range: **-55 – 105 °C [-67 – 221 °F]**

Features

Product Type Features

Hardware Accessory Function	Coding & Keying
Connector Hardware Accessory Type	Keying Plug

Usage Conditions

Operating Temperature (Max)	105 °C[221 °F]
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC

	Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # CAT-103156-RECHS
Connector Housing, Rectangular, 3.96 mm, 1 Row



TE Part # CAT-103156-WBHSM
Receptacle Housing: Wire-to-Board, with Mating Alignment, SL156

Also in the Series | SL-156

Connector Contacts(23)


Connector Hardware(4)

Power Contacts(13)


Rectangular Connector Housings(150)



Rectangular Power Connectors(147)



Standard Rectangular Connectors(150)




Wire-to-Board Connector Assemblies & Housings(146)

Customers Also Bought




TE Part #86657-2
FFC RECPT CONTACT-L P



TE Part #2-87631-3
28 MODIV HSG COMP DR .100 POL



TE Part #2-87631-4
28 MODIV HSG DR MRKD .100 POL



TE Part #2-87631-8
32 MODIV HSG DR MRKD .100 POL



TE Part #5-87631-5
70 MODIV HSG COMP DR .100 POL



TE Part #1-534998-7
34 MODIV VRT DR CE 100/125



TE Part #2-1618058-4
WD47-003=RELAY PHASE SEQUENCE



TE Part #3-1618058-4
WD81OU-003=RELAY, OVR/UNDR FRE

Documents

Product Drawings

KEYING PLUG .045 SQ PST CONN BLK

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_640254-2_K_c-640254-2-k.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_640254-2_K_c-640254-2-k.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_640254-2_K_c-640254-2-k.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English