643250-1 ✔ ACTIVE

MATE-N-LOK | Universal MATE-N-LOK


TE Internal #: 643250-1

2 Position, Plug / Receptacle, Housing, Crimp, Wire-to-Wire, UL 94V-0, 6.35 mm [.25 in] Centerline, 1 Row, 600 VAC, Wire & Cable, Universal MATE-N-LOK

View on TE.com >

Connectors > Rectangular Connectors > Standard Rectangular Connectors




Connector Product Type: **Housing**

Connector & Housing Type: **Plug, Receptacle**

Termination Method to Wire & Cable: **Crimp**

Connector System: **Wire-to-Wire**

Contact Retention Within Housing: **Without**

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Plug, Receptacle
Connector System	Wire-to-Wire
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	2
Number of Rows	1

Electrical Characteristics

Operating Voltage	600 VAC

Body Features

Primary Product Color	White

Contact Features

Multiple Contact Types	Without
Contact Layout	Inline
Contact Retention Within Housing	Without

Termination Features

Termination Method to Wire & Cable	Crimp

Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Centerline (Pitch)	6.35 mm[.25 in]
Housing Material	Nylon

Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]

Operation/Application

Circuit Application	Power & Signal

Industry Standards

Compatible With Approved Standards Products	UL E28476
UL Flammability Rating	UL 94V-0
Glow Wire Rating	Standard Part - Not Glow Wire

Packaging Features

Packaging Quantity	1
Packaging Method	Box

Product Compliance

For compliance documentation, visit the product page on TE.com>


EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC

	Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Part # 1-480698-2
02P UMNL PLUG HSG RED




TE Part # 1-350777-8
02P UMNL V0 PLUG HSG GRAY



TE Part # 1-350777-3
02P UMNL V0 PLUG HSG ORANGE




TE Part # 1-350777-4
02P UMNL V0 PLUG HSG YELLOW




TE Part # 1-480698-6
02P UMNL PLUG HSG BLU



TE Part # 1-1703062-2
CAP, 2 CIRCUIT , UNIVERSAL MATE-N-LOK



TE Part # 1-480698-1
02P UMNL PLUG HSG BRN




TE Part # 1-1703061-2
PLUG, 2 CIRCUIT , UNIVERSAL MATE-N-LOK



TE Part # 2-480699-0
02P UMNL CAP HSG NATL



TE Part # 1703062-1
CAP, 2 CIRCUIT , UNIVERSAL MATE-N-LOK



TE Part # 1969796-1
02P UMNL HDR ASSY R/A, PIN V0 GW



TE Part # 350786-3
02P UMNL HDR ASSY AU 94VO



TE Part # 350759-5
02P UMNL HDR ASSY PC V2 LF



TE Part # 350848-2
02P UMNL PLUG TEST ASSY 94VO



TE Part # 350582-1
02P UMNL PIN HDR ASSY V2 NATL



TE Part # 350824-1
02P UMNL HDR ASSY PC 94VO



TE Part # 350849-3
03P UMNL CAP TEST ASSY V0



TE Part # 643254-1
09P UMNL ASSY MOD HSG VO




TE Part # 641964-1
02P UMNL PIN HDR ASSY POL 94VO



TE Part # 794814-1
02P UMNL PLUG HSG,HI TEMP

Also in the Series | Universal MATE-N-LOK



Circular Power Connectors(2)



Connector Caps & Covers(34)




Connector Seals & Cavity Plugs(27)



Connector Strain Relief(7)



Insertion & Extraction Tools(4)




PCB Headers & Receptacles(285)



Rectangular Power Connectors(642)




Standard Circular Connectors(1)




Wire-to-Board Headers & Receptacles (285)


Customers Also Bought




TE Part #EM7485-000
X2-4.0-0-SP-SM



TE Part #373014
ANVIL, SPLICE




TE Part #373164
ANVIL, SPLICE



TE Part #2-461295-0
ANVIL



TE Part #3-644570-3
03P MTA156 CONN ASSY 18AWG LF




TE Part #1-1534072-7
AMP MF MK II ASS'Y/AR 7POS



TE Part #5-1768017-0
EET-0615V-9



TE Part #2213627-6
ASSEMBLY, ROT DIM REC 49.22 7P 150C GASK



TE Part #480787-000
55A1161-24-F926



TE Part #1-1534073-4
MULTIFIT MK2 ASSY4P

Documents

Product Drawings

02P UMNL ASSY MOD HSG V0

English

CAD Files

3D PDF

3D

Customer View Model
ENG_CVM_CVM_643250-1_N.2d_dxf.zip

English

Customer View Model
ENG_CVM_CVM_643250-1_N.3d_igs.zip

English

Customer View Model
ENG_CVM_CVM_643250-1_N.3d_stp.zip

English

Customer View Model
ENG_CVM_643250-1_F.3d_igs.zip

English

Customer View Model

ENG_CVM_643250-1_F.3d_stp.zip

English

Customer View Model

ENG_CVM_643250-1_F.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

English