829558-4 ✔ ACTIVE


MCX




TE Internal #: 829558-4

MCX Connector, Jack, 50 ohm, Snap-On, 6 GHz, Cable-to-Board, 1 Position, Printed Circuit Board, Board Mount, -65 – 125 °C [-85 – 257 °F], MCX

View on TE.com >

Connectors > RF Connectors > Coax Connectors > MCX Connector: Jack, 50 Ohm



RF Interface: **MCX**

RF Connector Style: **Jack**

RF Connector Mated Outer Diameter (Approximate): **5 mm [.19 in]**

Impedance: **50 Ω**

RF Connector Coupling Mechanism: **Snap-On**

All MCX Connector: Jack, 50 Ohm (1)

Features

Product Type Features

RF Interface	MCX
RF Connector Style	Jack
Connector System	Cable-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

PCB Mount Orientation	Vertical
Number of Positions	1
Number of Coaxial Contacts	1

Electrical Characteristics

Impedance	50 Ω

Body Features

Body Underplating Material	Nickel
Body Material	Copper Zinc
Body Plating Material	Gold

Contact Features

	1300 µin
RF Connector Center Contact Underplating Material	Nickel
RF Connector Center Contact Plating Material	Gold (Au)
RF Connector Center Contact Material	Beryllium Copper

Termination Features

Termination Method to PCB	Through Hole - Solder
Termination Post & Tail Length	2.55 mm[.1 in]

Mechanical Attachment

PCB Mount Retention	With
RF Connector Coupling Mechanism	Snap-On
Connector Mounting Type	Board Mount
RF Contact Captivation Method	Mechanical
Detent	Without

Dimensions

Product Length	8.5 mm[.335 in]
Profile Height from PCB	8.5 mm[.335 in]
RF Connector Mated Outer Diameter (Approximate)	5 mm[.19 in]

Usage Conditions

Operating Temperature Range	-65 – 125 °C[-85 – 257 °F]

Operation/Application

Operating Frequency Range	6 GHz

Packaging Features

Packaging Quantity	1
Packaging Method	Bag

Other

Dielectric Material	Polytetrafluoroethylene (PTFE)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (4% in 74024580) **Article Safe Usage Statements:** Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Pin-in-Paste capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2480655-1
MCX Plug to MCX Plug RA RG316 50 Ohm 6"



TE Part # 1060960-1
5858 0000 10



TE Part # 1060787-1
5807 7985 09,OSX R/A CABL PLUG




TE Part # 2480655-2
MCX Plug to MCX Plug RA RG316 50 Ohm 12"

Also in the Series | MCX




Coax Connectors(37)




RF Cable Assemblies(2)


Customers Also Bought




TE Part #5-147377-8
100 SYS50 SMT HDRDR SHD SN



TE Part #1-1586039-0
10P VAL-U-LOK VRT HDR W/P V2



TE Part #1857990-1
Z-PACK/B F-HDR.125P, EON




TE Part #1888810-2
EMI/Dust Cover,XFP And QSFP



TE Part #1-2007492-6
SFP+assy2x1 EMI Sprg Inner LP Sn Enhance




TE Part #2317857-2
DUST AND EMI PLUG, PLATED, OSFP



TE Part #2358256-1
SBCE, 2X25P



TE Part #5413879-2
JACK ASSY,RTANG,BNC



TE Part #5554923-2
RCPT ASSY,SHLD,RTANG, 24 POSN



TE Part #5750638-1
15 PLUG SP/FMS BRDLK

Documents

Product Drawings

MCX KU LEI

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_829558-4_R.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_829558-4_R.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_829558-4_R.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.