


H2,5/19D BL



General ordering data

Type	H2,5/19D BL
Order No.	9019170000
Version	Wire end ferrule, insulated, 14 mm, 12 mm, Blue
GTIN (EAN)	4008190178024
Qty.	500 pc(s).
Packaging	loose

Dimensions and weights

Length	19 mm
Length (inches)	0.748 inch
Net weight	0.18 g

Technical data

Version	insulated
---------	-----------

Wire-end ferrules

Collar diameter (D2)	4.2 mm
Colour code	DIN
Conductor cross-section	2.5 mm ²
Contact surface diameter (D1)	2.2 mm
Contact surface length (L2)	12 mm
L1 in mm	19 mm

Metal sleeve thickness (S1)	0.15 mm
Military designation	T 20A 017 A
Plastic collar thickness (S2)	0.25 mm
Stripping length	14 mm
Wire connection cross section AWG, max.	AWG 14

Downloads

Engineering data	<u>EPLAN, WSCAD, Zuken E3.S</u>
------------------	---

Classifications

ETIM 3.0	EC000005
ETIM 4.0	EC000005
ETIM 5.0	EC000005
ETIM 6.0	EC000005
UNSPSC	31-16-31-02
eClass 5.1	27-40-02-01
eClass 6.2	27-40-02-01
eClass 7.1	27-40-02-01
eClass 8.1	27-40-02-01
eClass 9.0	27-40-02-01
eClass 9.1	27-40-02-01

Approvals

Approvals



ROHS	Conform
------	---------

UL File Number Search	<u>E354986</u>
-----------------------	--------------------------------


Related products:



Order No.: 9019160000
Type: H2,5/15D BL
Description of article: Wire-end ferrule

Version:
Wire end ferrule,
insulated, 10 mm, 8
mm, Blue


[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 9021070000
Type: H2,5/15T GR
Description of article: Wire-end ferrule

Version:
Wire end ferrule,
insulated, 10 mm, 8
mm, Grey


[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 9021080000
Type: H2,5/19T GR
Description of article: Wire-end ferrule

Version:
Wire end ferrule,
insulated, 14 mm, 12
mm, Grey


[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 9019180000
Type: H2,5/25D BL
Description of article: Wire end ferrule with
plastic collar, blue

Version:
Wire end ferrule,
insulated, 20 mm, 18
mm, Blue

[PDF data sheet](#)
[Add to Inquiry List](#)



Order No.: 9021090000
Type: H2,5/25T GR
Description of article: Wire end ferrule with
plastic collar, grey

Version:
Wire end ferrule,
insulated, 20 mm, 18
mm, Grey

[PDF data sheet](#)
[Add to Inquiry List](#)