



Connectors > Rectangular Connectors > Standard Rectangular Connectors



Connector Product Type: **Housing**
Connector & Housing Type: **Receptacle**
Connector System: **Wire-to-Board**
UL Flammability Rating: **UL 94V-0**
Number of Positions: **96**

Features

Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	96
Number of Rows	3

Body Features

Primary Product Color	Gray
-----------------------	------

Contact Features

Contact Layout	Matrix
Contact Base Material	Beryllium Copper
Contact Type	Receptacle



Contact Current Rating (Max)	3 A
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Mating Retention	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Centerline (Pitch)	2.54 mm[.1 in]
Housing Material	Thermoplastic
Dimensions	
Connector Width	14.3 mm[.56 in]
Connector Height	10.6 mm[.417 in]
Connector Length	95 mm[3.74 in]
Row-to-Row Spacing	2.54 mm[.1 in]
Usage Conditions	
Operating Temperature Range	-65 – 105 °C[-85 – 221 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Glow Wire Rating	Standard Part - Not Glow Wire
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Box
Packaging Quantity	224
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250)




Candidate List Declared Against: JUNE 2025 (250)
Does not contain REACH SVHC

Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 925486-2
MOD.4 HSG.96P.



TE Part # 650945-5
064 EURO TYPE C PIN ST ASSY



TE Part # 5536010-5
ASSY,PIN,EUROCARD,TYPE C,LEAD-




TE Part # 650473-5
096 EURO TYPE C PIN ST ASSY




TE Part # 536742-5
096 EURO TYPE C PIN ST ASSY




TE Part # 148116-5
096 EURO TYPE C PIN ST ASSY



TE Part # 536416-5
096 EURO TYPE C PIN BL ASSY



TE Part # 5536405-5
ASSY,PIN,EUROCARD,TYPE C,LEAD-




TE Part # 5536416-5
ASSY,PIN,EURO,"C",LEAD-FREE,96



TE Part # 650913-5
096 EURO TYPE C PIN BL ASSY




TE Part # 650947-5
096 EURO TYPE C PIN ST ASSY



TE Part # 5650913-5
ASSY,PIN,EUROCARD,TYPE C,LEAD-



TE Part # 5148116-5
ASSY,PIN,EUROCARD,TYPE C,LEAD-FREE,96 PO



TE Part # 215605-4
96P.IEC-C MALE CONN



TE Part # 536405-5
096 EURO TYPE C PIN BL ASSY




TE Part # 536010-5
096 EURO TYPE C PIN HT ASSY


Customers Also Bought



TE Part #A87942-000
NC-381064-10-S1-9



TE Part #Y73051-12-14SV0030
RECP ASSY




TE Part #747932-1
09 SHIELD ENCLOSURE HDP




TE Part #3-1393659-9
V42254B1202R480=PC612 MESSERLE



TE Part #2446155-1
HIGH D BNC,RA JK 50OHM,BKD,PCB, 12GHZ



TE Part #YA81516F1005S1V0A1
PLUG ASSY



TE Part #Y79008-37-50SNV003
HERM RECP



TE Part #668419-000
55A6359-26-0CS1999



TE Part #502750-1
KIT,COUPLING RECEPT,2.5BAY,SM



TE Part #3-6609950-3
PSLOXDS60=C4347

Documents



Product Drawings

MOD. IV SNAP-IN HSG 96 POS.

English

CAD Files

Customer View Model

ENG_CVM_CVM_925486-1_N.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_925486-1_N.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_925486-1_N.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Product Specification

English