



All TIMER, RECEPTACLE AND TAB (280)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.


Compatible Parts



TE Part # 963325-1
25P J-T GRIFFSCHALE




TE Part # 2151270-1
OCEAN-2.0-APPLICATOR-S-090F130F-RSM



TE Part # 720788-8
EXTRCTION TOOL FOR MINI SPRING



TE Part # 2063375-1
SDE JPT 0.5-2.5mm2 ASSY



KIT
TE Part # 7-2151270-7
OCEAN_2.0_SPARE_PART_KIT-090F130F



TE Part # 2151270-2
OCEAN-2.0-APPLICATOR-S-090F130F-RSA




TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp




TE Part # 2063375-2
SDE JPT 0.5-2.5mm2 DIE SET


Customers Also Bought



TE Part #160773-6
PL LOOSE PIECE REC 0.5-1.5 MM2 PTPBR



TE Part #2-520335-2
ULTRA-FAST 187 ASY REC 22-18 TPBR



TE Part #770520-3
AMPSEAL,TERMINAL,GOLD PLATE, 16-20AWG WIR



TE Part #794227-1
MINI UMNL2 SOK 26-22 AWG SN LP




TE Part #CAT-T4827-CH8172
Timer Connector Housing



TE Part #828904-1
SINGLE WIRE SEAL FOR J.P.T.CON



TE Part #925590-2
MINI SPRING RECEPTACLE



TE Part #1-967642-1
3POS MQS REC SEALED COD A

Documents

Product Drawings
MIN FEDERKONTAKT
English

CAD Files
3D PDF
3D
Customer View Model
ENG_CVM_CVM_925590-3_Y_c-925590-3-y.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_925590-3_Y_c-925590-3-y.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_925590-3_Y_c-925590-3-y.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

Application Specification

German

Application Specification

German

ET**Junior Timer Contact

English

Application Specification

English

Application Specification

English

Application Specification

Japanese

CRIMPING L-JETRONIC* MINI-SPRING CONTACT

English

CRIMPING L-JETRONIC* MINI-SPRING CONTACT

Japanese

Application Specification

English