964267-2 ✔ ACTIVE

AMP | Timer Connector System

TE Internal #: 964267-2

Tab Terminal, 20 – 17 AWG, .5 – 1 mm² Wire, 1.6 mm [.063 in] Tab Width, Tin (Sn), .6 mm [.024 in] Tab Thickness, Unsealed, Timer Connector System

View on TE.com >

Automotive Parts > Automotive Terminals > TIMER, RECEPTACLE AND TAB



Terminal Type: **Tab**

Wire Size: **20 – 17 AWG**

Mating Tab Width: **1.6 mm [.063 in]**

Interface Plating: **Tin (Sn)**

All TIMER, RECEPTACLE AND TAB (280)

Features

Product Type Features

Receptacle Style	180°
Primary Locking Feature	Locking Lance
Sealable	No

Body Features

Terminal Seal Type	Unsealed

Contact Features

Typical Current Rating	10 A
Crimp Type	F-Crimp
Contact Size	1.6mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Terminal Type	Tab
Mating Tab Width	1.6 mm[.063 in]
Interface Plating	Tin (Sn)
Mating Tab Thickness	.6 mm[.024 in]

Termination Features

Termination Method to Wire & Cable	Crimp

Product Terminates To	Wire

Dimensions

Compatible Insulation Diameter Range	1.4 – 2.1 mm[.055 – .083 in]
Wire Size	20 – 17 AWG
Wire Size Search	.5 mm², .6 mm², .75 mm², 1 mm²
Tab Length	22.4 mm[.881 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature (Max)	130 °C[266 °F]
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]

Operation/Application

Compatible With Wire Base Material	Copper
Conforms to Automation Guideline	Yes, KOMAX Guideline for automatic component insertion for electrical connections, Version 5.0 (March 2018)

Industry Standards

Compatible With Agency/Standards Products	DIN 72036

Packaging Features

Packaging Method	Reel
Packaging Quantity	6000

Other

Terminal Transmits	0 – 24 A (Low Power)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per

	homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 1743259-1
HYBRID 15P CAP ASSY(DTB)



TE Part # CAT-AM705-CH8172
AMP MCP, SEALED CONNECTOR HOUSING



TE Part # 1394607-1
TAB HOUSING 1,6 9P



TE Part # 2385319-2
EXTRACTION TOOL



TE Part # 2208214-4
2POS,TAB 1.6X0.6,TAB HSG,CODA



TE Part # 2305570-1
Strip Terminal Cutter-Side Feed-No Crimp



TE Part # 284858-1
12 POS MALE HOUSING ASS'Y



TE Part # 2385319-1
EXTRACTION TOOL




TE Part # 2385319-3
EXTRACTION TOOL



TE Part # 2151058-1
OCEAN_2.0_APPLICATOR-S-080F100O-RSM



TE Part # CAT-T4827-CH8172
Timer Connector Housing



TE Part # 7-2151058-7
OCEAN_2.0_SPARE_PART_KIT-080F100O



TE Part # 1-1743265-1
HYBRID 36P CAP ASSY(DTB)



TE Part # 2151058-2
OCEAN_2.0_APPLICATOR-S-080F100O-RSA




TE Part # CAT-AM705-CH8173
AMP Unsealed Connector Housing



TE Part # 539960-1
AUSZ-WKZ,MICRO TIM.

Also in the Series | Timer Connector System



Automotive Connector Caps & Covers (12)




Automotive Housings(186)



Automotive Seals & Cavity Plugs(32)



Automotive Signal & Power Headers(6)



Automotive Terminals(110)



Quick Disconnects(4)

Customers Also Bought

TE Part #160859-2
FF 250 TAB 0.5-1.0MM2 TPBR

TE Part #280074-2
FF 375 TAB 6-10MM2 PTBR

TE Part #968678-2
MPQ2,8 Sn rec LL unseal. 0,35-0,5


TE Part #1379675-5
12W TAB HSG ASSY NATURAL



TE Part #1452128-3
MQS ST-KONT M.FFC



TE Part #1456985-2
1X6 Fem unsealed LP assy Key B w /CPA



TE Part #1801248-2
025 RECEPTACLE CONTACT



TE Part #4-1803019-0
CRIMPER, INSULATION O



TE Part #2141882-2
TAB A 1.6x0.6 CONTACT CF SRC Sn



TE Part #2386146-4
2P GENERATION Y Plug, Single-P

Documents

Product Drawings

TAB A 1.6x0.6 CONTACT CF SRC Sn

English

TAB A 1.6x0.6 CONTACT CF SRC Sn

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_964267-2_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_964267-2_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_964267-2_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

Application Specification

German

Application Specification

English

Application Specification

English