AFT-L ✔ ACTIVE

TE Internal #: AFT-L

Whip Antenna, Single Band, External Mount, Connector Mount, NMO, Omnidirectional, Single Port, < 0 dBi Peak Gain

View on TE.com >

Antennas



Mounting Location: **External**

Mounting Type: **Connector Mount**

Frequency Category: **118 – 896**

Antenna Type: **Whip**

Antenna Termination: **NMO**

Features

Product Type Features

Antenna Termination	NMO
Antenna Product Type	Antenna

Configuration Features

Antenna Style	Whip
Mounting Location	External
Antenna Type	Whip
Band Type	Single Band
Port Configuration	Single Port

Electrical Characteristics

Antenna Operation	Passive

Signal Characteristics

Frequency Band	120 – 896 MHz
Gain (Max)	2 dB
Frequency Category	118 – 896
Peak Gain	< 0 dBi

Mechanical Attachment

Polarization	Linear
Mounting Type	Connector Mount

Operation/Application

Option	Connector Preinstalled
Antenna Environment	Outdoor
Wireless Standard	TETRA: 380 - 470 MHz
Directionality	Omnidirectional

Product Availability

Applicable Region	Global

Packaging Features

Packaging Method	Box

Other

Precision Level	Standard

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	未针对中国 RoHS 符合性进行审核 Not reviewed for China RoHS compliance
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: Not Yet Reviewed SVHC > Threshold: Pb (2.2% in Component) **Article Safe Usage Statements:** Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in

articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles'(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # ABFTS
WHIP,AB,1/4,SELECT,



TE Part # ABFT-L
WHIP,AB,1/4,SELECT,

Customers Also Bought



TE Part #B4502N
WHIP,MC,1/2,450-470MHZ, TUN,2.4, CH,NGP,



TE Part #TRABT1560
OMNI,PH,NMO,156-160 BLK,0,60



TE Part #TRAB4503
OMNI,PH,MNO,450-470 BLK,3,150,3/4 TRN MT



TE Part #QW450
WHIP, QW, 1/4,450-470MHz 460, 0dB, CH, G



TE Part #GB8U
MOUNT,MGM,3/4,58U




TE Part #MB8U
MOUNT,BMM,3/4,58U STD,17FT58U



TE Part #MABTO
MOUNT,BMM,3/8 1/4



TE Part #MBD
MOUNT,BMM,3/4,TFX STD,17FTTFX



TE Part #MABVT8
MOUNT,BMM,BTH,58A 1/2,17FT58A



TE Part #MABO
MOUNT,BMM,3/8, MOUNT ONLY

Documents

Datasheets & Catalog Pages

VHF/UHF/700-800 MHz/2400 MHz

English

Agency Approvals

UK Declaration of Conformity

English