




Switches > Slide Switches



Contact Current Rating: **.3 A**

Configuration (Pole-Throw): **Six Pole - Double Throw**

Contact Base Material: **Copper Alloy**

Number of Actuators: **Single**

Number of Positions: **2**

Features

Configuration Features

|                            |                         |
|----------------------------|-------------------------|
| Configuration (Pole-Throw) | Six Pole - Double Throw |
| Number of Actuators        | Single                  |
| Number of Positions        | 2                       |
| Operating Function         | On On                   |

Electrical Characteristics

|                        |        |
|------------------------|--------|
| Contact Current Rating | .3 A   |
| Operating Voltage      | 28 VDC |

Body Features

|                      |          |
|----------------------|----------|
| Actuator Orientation | Top      |
| Actuator Profile     | Extended |
| Actuator Material    | Nylon    |
| Actuator Color       | White    |

Contact Features

|                                 |              |
|---------------------------------|--------------|
| Contact Base Material           | Copper Alloy |
| Switch Contact Plating Material | Silver       |

Termination Features

|                                |                       |
|--------------------------------|-----------------------|
| Termination Post & Tail Length | 4.06 mm[.16 in]       |
| Termination Method to PCB      | Through Hole - Solder |

Dimensions



|                 |                 |
|-----------------|-----------------|
| Product Width   | 7.37 mm[.29 in] |
| Product Length  | 25.4 mm[1 in]   |
| Actuator Length | 2.79 mm[.11 in] |

Operation/Application

|                          |                       |
|--------------------------|-----------------------|
| Assembly Process Feature | Auto-Insert Packaging |
|--------------------------|-----------------------|

Industry Standards

|                        |          |
|------------------------|----------|
| UL Flammability Rating | UL 94V-0 |
|------------------------|----------|

Packaging Features

|                  |      |
|------------------|------|
| Packaging Method | Tube |
|------------------|------|

Other

|       |         |
|-------|---------|
| Grade | Telecom |
|-------|---------|

Product Compliance

For compliance documentation, visit the product page on TE.com>

|                                               |                                                                                                                                          |
|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Not Yet Reviewed                                                                                                                         |
| EU ELV Directive 2000/53/EC                   | Not Yet Reviewed                                                                                                                         |
| China RoHS 2 Directive MIIT Order No 32, 2016 | 未针对中国 RoHS 符合性进行审核 Not reviewed for China RoHS compliance                                                                                |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JUN 2018 (191)<br>SVHC > Threshold:<br>Not Yet Reviewed |
| Halogen Content                               | Not Yet Reviewed for halogen content                                                                                                     |
| Solder Process Capability                     | Wave solder capable to 265°C                                                                                                             |


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling







based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Also in the Series | [ALCOSWITCH ASE/F](#)



[Slide Switches\(45\)](#)

Customers Also Bought

|                                                                                                                                                                      |                                                                                                                                                                      |                                                                                                                                                                        |                                                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p>TE Part #650138-000<br/><a href="#">D-436-0098</a></p>                        |  <p>TE Part #745564-1<br/><a href="#">SCREW RETAINER CLIP,AMPLIMITE</a></p>      |  <p>TE Part #1-1437565-9<br/><a href="#">FSM1LPTR=NEW P/N</a></p>                 |  <p>TE Part #2170704-1<br/><a href="#">CAGE ASSY, QSFP28 1X1, SPRING, HS</a></p>  |
|  <p>TE Part #3-2176307-3<br/><a href="#">RP 1E 0.1W 26K7 0.1% 25PPM 5K RL</a></p> |  <p>TE Part #7-2176307-6<br/><a href="#">RP 1E 0.1W 75K 0.1% 25PPM 5K RL</a></p> |  <p>TE Part #5-2176310-6<br/><a href="#">RP 1E 0.1W 402R 0.1% 25PPM 1K RL</a></p> |  <p>TE Part #5-2176310-8<br/><a href="#">RP 1E 0.1W 422R 0.1% 25PPM 1K RL</a></p> |
|  <p>TE Part #7-2176312-3<br/><a href="#">RP 1E 0.1W 69K8 0.1% 25PPM 1K RL</a></p> |  <p>TE Part #4-2176363-7<br/><a href="#">RQ 0402 1K3 0.1% 10PPM 5K RL</a></p>    |                                                                                                                                                                        |                                                                                                                                                                        |

Documents

[Product Drawings](#)  
[ASE62=6PDT AUTO-SLIDE](#)  
[English](#)



CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_3-1437581-1\\_L.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_3-1437581-1\\_L.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_3-1437581-1\\_L.2d\\_dxf.zip](#)

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[SWITCHES\\_CORE\\_PROGRAM\\_CATALOG](#)

English