# 467777-000 ✔ ACTIVE


RAYCHEM | DuraSeal

TE Internal #: 467777-000

Quick Disconnect Tab, Partially Insulated, 16 – 14 AWG, 6.35 mm [.25 in] Tab Width, Compression Crimp, Straight, Tin Plating, Box, DuraSeal

View on TE.com >

Terminals & Splices > Quick Disconnects



Quick Disconnect Terminal Type: **Tab**

Wire Size: **16 – 14 AWG**

Mating Tab Width: **6.35 mm [ .25 in ]**

Mating Tab Thickness: **.81 mm [ .032 in ]**

Terminal Orientation: **Straight**

## Features

### Product Type Features

| | |
|---|---|
| Compatible With Discrete Wire Type | Stranded |
| Insertion Force | Normal |

### Configuration Features

| | |
|---|---|
| Connection Capacity | Single |

### Body Features

| | |
|---|---|
| Insulation Material | Polyamide |

### Contact Features

| | |
|---|---|
| Quick Disconnect Terminal Type | Tab |
| Mating Tab Width | 6.35 mm[.25 in] |
| Mating Tab Thickness | .81 mm[.032 in] |
| Terminal Orientation | Straight |
| Terminal Plating Material | Tin |
| Crimp Type | Compression Crimp |
| Barrel Type | Closed |

### Termination Features

| | |
|---|---|
| Product Terminates To | Wire & Cable |

### Mechanical Attachment

| | |
|---|---|
| Wire Insulation Support | With |

## Dimensions

| | |
|---|---|
| Product Length | 33 mm[1.3 in] |
| Compatible Insulation Diameter Range | 2 – 4.6 mm |
| Wire Size | 16 – 14 AWG |

## Usage Conditions

| | |
|---|---|
| Insulation Option | Partially Insulated |
| Operating Temperature Range | -55 – 125 °C[-67 – 257 °F] |

## Industry Standards

| | |
|---|---|
| Compatible With Agency/Standards Products | UL |
| Compatible With Approved Standards Products | UL E87681 |

## Packaging Features

| | |
|---|---|
| Packaging Method | Box |

## Other

| | |
|---|---|
| Barrel Color | Blue |

# Product Compliance

For compliance documentation, visit the product page on TE.com>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | 有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JAN 2025 (247)<br>Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part

numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



TE Part # EG8162-000
HL1920E-230V-EURO


## Also in the Series | DuraSeal



Quick Disconnects(7)



Ring Terminals(15)




Spade Terminals(5)



Splices(14)


## Customers Also Bought




TE Part #697233-000
B-106-1503



TE Part #ASL206-05SN-HE
RECEPT.ASSY.PCB. 2 HOLE MNT. MICRO MK3



TE Part #164581-000
B-106-1403



TE Part #583389-000
B-106-3633



TE Part #EEC-5X650A
ENCLOSURE, 5 X 6.50, BLK, VENT



TE Part #51864-9
TERMINAL,PIDG R IR 14 10



TE Part #175778-2
CT. CRIMP REC HSG 2P



TE Part #748627-2
SHLD JACKSCREW,PLTD



TE Part #1658658-1
KIT,HDP-20,ENCLSUR,RCPT,SIZE 3



TE Part #2-2399610-1
2POS,HVP1400,ASSY,90DEG,COD A/B

## Documents

### Product Drawings

B-106-4632

English

### Datasheets & Catalog Pages

1654025_Sec8_B-106

English

### Product Specifications

Installation Procedure for Duraseal Splices and Terminals

English