

RAYCHEM

TE Internal #: D03269-000


7.29 mm [.287 in] Expanded Inside, Shrinks To 3.3 mm [.13 in], Pre-Installed Lead, 22 AWG, .34 – .4 mm² Wire, SolderSleeve Shield

Terminators

[View on TE.com >](#)



Wire Protection & Management > Interconnect Devices > SolderSleeve Shield Terminators



Operating Temperature (Max): 125 °C [257 °F]

Expanded Inside Diameter (Min): 7.29 mm [.287 in]

Recovered Inside Diameter (Max): 3.3 mm [.13 in]

Pre-Installed Lead: Yes

Resistance Properties: Immersion Protection

Features

Product Type Features

Temperature Indicator	None
Interconnect Device Splice Type	Shield Terminator

Configuration Features

Pre-Installed Lead Type	35C0211-22-5
Pre-Installed Lead	Yes

Body Features

Lead Stranding	Stranded
Lead Plating Material	Tin
Lead Color	Green

Dimensions

Compatible Jacket Diameter Range	7.3 mm[.287 in]
Product Length	32.5 mm[1.28 in]
Shield Outside Diameter (Min)	3.4 mm[.134 in]
Pre-Installed Lead Wire Size	754 CMA
Dielectric Outside Diameter (Max)	2.5 mm[.08 in]
Expanded Inside Diameter (Min)	7.29 mm[.287 in]
Recovered Inside Diameter (Max)	3.3 mm[.13 in]



Wire Size

22 AWG

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Resistance Properties	Immersion Protection
Wire Temperature (Max)	85 °C

Industry Standards

MIL/NAS Specification (MIL-S-83519, NAS-1747)	RT-1404
Government Qualified	No

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Customers Also Bought



Documents

Product Drawings
B-155-07-35-22-5

English