

BAT-HLD-012-SMT-TR

✓ ACTIVE

TE Internal #: BAT-HLD-012-SMT-TR
CR1216 / CR1225 Battery Holder, 1 Position, Horizontal, Nickel (Ni),
Power, -30 – 70 °C [-22 – 158 °F]
[View on TE.com >](#)



Connectors > PCB Connectors > Battery Connectors & Holders > Coin Cell Battery Holders



Battery Compatibility: **CR1216, CR1225**
Number of Positions: **1**
PCB Mount Orientation: **Horizontal**
Contact Mating Area Plating Material: **Nickel (Ni)**
PCB Mount Alignment: **With**

Features

Product Type Features

Connector & Contact Terminates To	Printed Circuit Board
Connector System	Board-to-Component

Configuration Features

Number of Positions	1
PCB Mount Orientation	Horizontal

Body Features

Primary Product Color	Silver
Battery Weight	.7 g
Battery Holder Type	Coin Cell
Battery Holder Material	Phosphor Bronze
Battery Compatibility	CR1216, CR1225

Contact Features

Contact Mating Area Plating Material	Nickel (Ni)
--------------------------------------	-------------

Mechanical Attachment

Connector Mounting Type	Board Mount
PCB Mount Alignment Type	Retention Solder Tails
PCB Mount Alignment	With

Usage Conditions

--	--

Operating Temperature Range	-30 – 70 °C[-22 – 158 °F]
-----------------------------	---------------------------

Operation/Application

Circuit Application	Power
---------------------	-------

Packaging Features

Packaging Method	Tape & Reel
Packaging Quantity	1000

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: FEB 2026 (253) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability





Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



Customers Also Bought



Documents

Product Drawings

[Battery Holder 1216 1225 SMT T&R Pack](#)

English

CAD Files

Customer View Model

[ENG_CVM_CVM_BAT-HLD-012-SMT-TR_B.2d_dxf.zip](#)

English

Customer View Model



[ENG_CVM_CVM_BAT-HLD-012-SMT-TR_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_BAT-HLD-012-SMT-TR_B.3d_stp.zip](#)

English

[3D PDF](#)

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

CR1216, 1225 HOLDER OUTLINE SURFACE MOUNT

English