2299518-1 × OBSOLETE

Push Splice Push Grip

TE Internal #: CS6085-000

TE Internal Description: CPGI-WC-PG-6-PORT-BULK

View on TE.com >

Terminals & Splices > Splices







Splice Type: **Closed End Splice**

Wire Size: **22 – 12 AWG**

Sealable: **No**

Splice Features: **Standard**

Primary Product Color: **Purple**

Features

Product Type Features

Splice Type	Closed End Splice
Sealable	No
Compatible With Discrete Wire Type	Solid, Stranded
Wire Insulation Support Retention Type	Non-Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire

Electrical Characteristics

Operating Voltage	600 VAC

Body Features

Splice Features	Standard
Primary Product Color	Purple

Contact Features

Barrel Type	Closed

Mechanical Attachment

Wire Insulation Support	Without

Dimensions

Wire Size	22 – 12 AWG

Usage Conditions

Insulation Option	Uninsulated

Operation/Application

Compatible With Wire Base Material	Copper

Industry Standards

Government Qualified Splice	No

Packaging Features

Packaging Method	Bag/Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Also in the Series | Push Splice Push Grip



Splices(5)

Customers Also Bought



TE Part #41559
RING 18-14 AWG BR



TE Part #62850-1
110 FASTON REC 20-18 AWG TPBR



TE Part #292171-8
CT POST HDR ASSY 8P IN-TUBE BL




TE Part #2029076-2
2P MICRO MNL 1R RA HDR ASY NAT



TE Part #2174024-1
LUMAWISE LED HOLDER, TYPE NL2



TE Part #2213118-2
LUMAWISE LED HOLDER Z32 LOW PROFILE 1215



TE Part #2213580-2
LUMAWISE LED HOLDER Z50 STD PROFILE 1924



TE Part #3-2213627-2
ASSEMBLY, ROT DIM REC 49.22MM 7 POS 150C



TE Part #2325807-2
LUMAWISE Z45 LED HOLDER 19X19

TE Part #5-1609091-7
F8440A=3FB3-MS MOD

Documents

Datasheets & Catalog Pages

Push Grip Connectors flyer (Chinese)

Push Grip Connectors flyer

Push Grip Connectors flyer

English

Product Specifications

Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English