




Wire Protection & Management > Interconnect Devices > Shielded Contacts



Compatible With Wire & Cable Type: **Coaxial**

Contact Type: **Pin**

Contact Size: **Size 16**

Features

Configuration Features

Compatible With Wire & Cable Type	Coaxial
-----------------------------------	---------

Contact Features

Contact Type	Pin
Contact Size	Size 16

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
-----------------------------	----------------

Industry Standards

Military Standard	MIL-C-38999 I, II, III, IV
-------------------	----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: Pb (37% in Solder) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in



other sources.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # EG8162-000
HL1920E-230V-EURO

Customers Also Bought



TE Part #ZPF00000000007529
983-0SE 12-03 SN




TE Part #089785-000
D-106-6018




TE Part #ZPF000000000097935
983-3W-C 16



TE Part #11031851-00
55008-BP GEM THERM




TE Part #908751-000
HET-A-04B




TE Part #807652-000
202D142-4-60-0



TE Part #ZPF00000000013956
DBAS 78G 61-0 SN-A6063



TE Part #1757822-6
AMPLIMITE,ASY,RCPT,FB,109,ZN,1, CONT



Documents

Product Drawings

D-602-0140

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_753454-000_O.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_753454-000_O.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_753454-000_O.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

1654025_Sec8_D-602

English

Solutions for Defense Applications Certified to VG Standards

English

SolderTacts Contacts

English

Product Specifications

SolderTact Military-Grade Electrical Contacts for Solder Termination

English

Terminating Size 16 Series 999 SolderTact Contacts for Coaxial Cable D-602-0140, -0171

English