




Wire Protection & Management > Interconnect Devices > Shielded Contacts



Compatible With Wire & Cable Type: **Coaxial**

Contact Type: **Pin**

Contact Size: **Size 12**

Wire Size: **26 – 28 AWG**

Features

Configuration Features

|                                   |         |
|-----------------------------------|---------|
| Compatible With Wire & Cable Type | Coaxial |
|-----------------------------------|---------|

Contact Features

|              |         |
|--------------|---------|
| Contact Type | Pin     |
| Contact Size | Size 12 |

Dimensions

|           |             |
|-----------|-------------|
| Wire Size | 26 – 28 AWG |
|-----------|-------------|

Usage Conditions

|                             |                |
|-----------------------------|----------------|
| Operating Temperature (Max) | 125 °C[257 °F] |
|-----------------------------|----------------|

Industry Standards

|                   |                          |
|-------------------|--------------------------|
| Military Standard | MIL-DTL-38999 I, III, IV |
|-------------------|--------------------------|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

|                                               |                                                                                                 |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------|
| EU RoHS Directive 2011/65/EU                  | Not Compliant                                                                                   |
| EU ELV Directive 2000/53/EC                   | Not Compliant                                                                                   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | 有害物质含量超出标准<br>Restricted Substance(s) Above Threshold                                           |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JAN 2025 (247) |



SVHC > Threshold:

Pb (.37% in Solder)

**Article Safe Usage Statements:**  
Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

|                           |                                                        |
|---------------------------|--------------------------------------------------------|
| Halogen Content           | BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources. |
| Solder Process Capability | Not applicable for solder process capability           |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # EG8162-000


[HL1920E-230V-EURO](#)

Customers Also Bought




TE Part #275417-000

[D-602-0142](#)




TE Part #820243-000

[462A034-25-0](#)




TE Part #878503-000

[202K142-25-01-0](#)




TE Part #NB17544001

[RT-375-1-1/2-X-SP](#)




TE Part #265536-000  
[44A0811-4-0](#)




TE Part #265049-002  
[44A0811-4-9](#)




TE Part #440063-007  
[7528A1317-0](#)



TE Part #1-1617073-4  
[3SBC2002A2 = M39016/13-057P](#)



TE Part #YCTJ116E01DC015000  
[ELEC MODULE](#)



TE Part #1616094-1  
[N417=RELAY](#)

Documents

Product Drawings

[D-602-0144](#)

English

Datasheets & Catalog Pages

[1654025\\_Sec8\\_D-602](#)

English

SolderTacts Contacts

English

Product Specifications

[SolderTact Military-Grade Electrical Contacts for Solder Termination](#)

English

[Terminating Size 12 Series 999 SolderTact Contacts for Coaxial Cable D-602-0144, -0145](#)

English