



Energy & Power > Power Systems Connectors > Compression Connectors



Product Availability: Asia, Australia, New Zealand & Pacific Islands

Installation Technology: Compression

Voltage Class: ≤ 35 kV, ≤ 1 kV

Compatible Conductor Material: Copper

Crimp Type: Hexagonal Crimping

Features

Product Type Features

Installation Technology	Compression
-------------------------	-------------

Electrical Characteristics

Voltage Class	≤ 35 kV, ≤ 1 kV
---------------	-----------------

Body Features

Conductor Type	Stranded
Compression Barrel Type	Standard
Compatible Conductor Material	Copper
Primary Product Material	Copper

Contact Features

Crimp Type	Hexagonal Crimping
------------	--------------------

Dimensions

Barrel Outside Diameter	22.4 mm, 28.6 mm[.881 in][1.12 in]
Barrel Length	98 mm[3.858 in]
Barrel Inside Diameter	16.3 mm, 21.1 mm[.641 in][.83 in]
Compatible Conductor Range	300 – 500 AWG/kcmil
Compatible Conductor Cross-Section Range	150 – 240 mm²

Operation/Application



Power Component Application Type	Indoor, Outdoor
Compression Connector Product Type	Terminal Links

Industry Standards

Compatible With Approved Standards Products	AS 1125-174
---	-------------

Product Availability

Product Availability	Asia, Australia, New Zealand & Pacific Islands
----------------------	--

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts





TE Part # 2107475-2
UNIPRESS 6/120 +COF+CHARG



TE Part # 2107733-4
AUTOPRESS C120 18V+COF+CHARG 110V



TE Part # 2107725-1
AUTOPRESS L62+ COF+CHARG



TE Part # 2107730-1
AutoPress 80 18V+COF+CHARG

Also in the Series | UTILUX CKR



Compression Connectors(32)

Customers Also Bought



TE Part #CAT-D48-ST273
DEUTSCH Solid Contacts



TE Part #CAT-D487-W416
WedgeLocks: DEUTSCH DT




TE Part #DT06-2S
PLG, 2P, GRY, N



TE Part #DT04-2P
REC, 2P, GRY, N



TE Part #206070-8
CABLE CLAMP KIT #17



TE Part #281934-2
SINGLE WIRE SEAL



TE Part #CAT-AM71-CH8172
AMP SUPERSEAL 1.5MM, CONNECTOR HOUSING

Documents

Product Drawings
CKR240-150/1

English

Datasheets & Catalog Pages
EPP-2487-DDS11-AU-3_16-CKR-UTILUX

English

