






- * **①①** Important Dimension.
- * Waterproof Rate: Hadopelagic 7000M, Mated.
- * Connector
 - Housing : Rubber, Black.
 - Pin : Copper Alloy, Gold Plated.
 - O-Ring: Rubber, Black.
 - Shield: Metal.
 - Nut: Metal.
 - Washer: Metal.
- * Wire: UL10393 18 AWG, OD 1.81mm
- * Washer and nut are packed separately in PE bag.

UNIT: mm						TITLE DT, HAD CIRCULAR MINI REAR FASTENED, M, M		Amphenol LTW 安費諾亮泰企業股份有限公司		ITEM NO		DRAWN BY Eagle		DATE 2022/09/30	
TOLERANCE ±0.5		SCALE 1:1		SIZE A4		SHEET 1 OF 5				DWG NO DT-HCN-XXRMM-RHA30		CHECKED BY Aric		DATE 2022/09/30	
		REV. A		WC-REV. A.5		QC: Inspection item				CUSTOMER ALTW		APPROVED BY Max		DATE 2022/09/30	


For 6P/8P




Washer



Nut




Panel cut out (screw type)



Panel cut out (hole type)

UNIT:mm



TOLERANCE
±0.5

TITLE

DT, HAD CIRCULAR MINI
REAR FASTENED, M, M

SCALE
1:1

SIZE
A4

SHEET
2 OF 5

REV.
A

WC-REV.
A.5

QC: Inspection item

Amphenol LTW

安費諾亮泰企業股份有限公司

ITEM NO

DWG NO

CUSTOMER

DT-HCN-XXRMM-RHA30

ALTW

DRAWN BY

CHECKED BY

APPROVED BY

Eagle

Aric

Max

DATE

DATE


DATE

2022/09/30

2022/09/30

2022/09/30

For 3P/4P




6.40 (Min.)/11.1(Max.)




Panel cut out (screw type)


6.40 (Min.)/11.1(Max.)



Panel cut out (hole type)




Washer



Nut

UNIT:mm

TOLERANCE
 $\pm$ 0.5

TITLE

DT, HAD CIRCULAR MINI
REAR FASTENED, M, MSCALE
1:1SIZE
A4SHEET
3 OF 5REV.
AWC-REV.
A.5

QC: Inspection item

Amphenol LTW

安費諾亮泰企業股份有限公司

ITEM NO

DWG NO

CUSTOMER

ALTW

DRAWN BY

Eagle

CHECKED BY

Aric

APPROVED BY

Max

DATE


2022/09/30

DATE

2022/09/30


DATE

2022/09/30




Pin Assignment(Front View)

Pin Out (3P)
1 Black(黒) 18AWG
2 White(白) 18AWG
3 Red(紅) 18AWG




Pin Assignment(Front View)

Pin Out (4P)
1 Black(黒) 18AWG
2 White(白) 18AWG
3 Red(紅) 18AWG
4 Green(緑) 18AWG




Pin Assignment(Front View)

Pin Out (6P)
1 Black(黒) 18AWG
2 White(白) 18AWG
3 Red(紅) 18AWG
4 Green(緑) 18AWG
5 Orange(橙) 18AWG
6 Blue(藍) 18AWG



Pin Assignment(Front View)


Pin Out (8P)
1 Black(黒) 18AWG
2 White(白) 18AWG
3 Red(紅) 18AWG
4 Green(緑) 18AWG
5 Orange(橙) 18AWG
6 Blue(藍) 18AWG
7 White/Black(白/黒) 18AWG
8 Red/Black(紅/黒) 18AWG



Pin Assignment(Front View)

Pin Out (12P)
1 Black(黒) 18AWG
2 White(白) 18AWG
3 Red(紅) 18AWG
4 Green(緑) 18AWG
5 Orange(橙) 18AWG
6 Blue(藍) 18AWG
7 White/Black(白/黒) 18AWG
8 Red/Black(紅/黒) 18AWG
9 Green/Black(緑/黒) 18AWG
10 Orange/Black(橙/黒) 18AWG
11 Blue/Black(藍/黒) 18AWG
12 Black/White(黒/白) 18AWG

UNIT:mm



TOLERANCE

TITLE

DT, HAD CIRCULAR MINI
REAR FASTENED, M, M

SCALE
1:2SIZE
A4SHEET
4 OF 5REV.
A

WC-REV.

QC:Inspection item

Amphenol LTW

安費諾亮泰企業股份有限公司

ITEM NO

DWG NO

CUSTOMER

ALTW

DRAWN BY

Eagle

CHECKED BY

Aric

APPROVED BY

Max

DATE


2022/09/30

DATE


2022/09/30

DATE


2022/09/30




3P/4P/6P/8P: 10PCS(Max.)
12P: 8PCS(Max.)



Tray



Packing Case



年 月 ALTW 合格品 RoHS2.0

料號: 廠商: 昆山安費諾正日電子



數量: PC 日期:

Lot No: 版本:



採購單號:



廠商料號:

UNIT:mm



TOLERANCE
±0.5

TITLE

DT, HAD CIRCULAR MINI
REAR FASTENED, M, M

SCALE
1:1

SIZE
A4

SHEET
5 OF 5

REV.
A

WC-REV.
A.5

QC: Inspection item

Amphenol LTW
安費諾亮泰企業股份有限公司

ITEM NO

DWG NO

CUSTOMER

DT-HCN-XXRMM-RHA30

ALTW

DRAWN BY

CHECKED BY

APPROVED BY

Eagle

Aric

Max

DATE

DATE

DATE

2022/09/30

2022/09/30

2022/09/30