



Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: **High Voltage Contactor**

Contact Current Rating: **350 A**

Contact Arrangement: **DPST-NO**

Current Type: **DC**

Coil Voltage Rating: **28 VDC**

Features

Product Type Features

Relay & Contactor Type	High Voltage Contactor
------------------------	------------------------

Configuration Features

Contact Arrangement	DPST-NO
Contact Number of Poles	2

Electrical Characteristics

Contact Switching Voltage (Max)	600 VAC
Contact Current Rating	350 A
Coil Voltage Rating	28 VDC
Coil Resistance	7.8 Ω, 90 Ω

Termination Features

Main Termination & Connection Type	M6 x 1 Female
Coil Termination & Connection Type	Flying Leads

Mechanical Attachment

Product Mount Type	Chassis Mount
--------------------	---------------

Operation/Application

Current Type	DC
--------------	----

Other

--	--



Contact Current Class	>200 – ≤500 A
-----------------------	---------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) SVHC > Threshold: Pb (3.7% in 74019106) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Hand solderable with lead free solder

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 9-1618389-8
[LEV100A5ANG=RELAY, SPST, 24Vdc](#)



Also in the Series

Kilovac EV202

DC Contactors(5)

DC Relays(5)

Electromechanical Relays(5)

Customers Also Bought

TE Part #234062-E
STVROL BUT 10TS CSI 2026 207 * AL J 2 34

TE Part #K1143304
Battery Disconnecter 35-411-151-R

TE Part #282030-013
44A0111-22-0

TE Part #50831
TERMINAL,PIDG PTFE R 22-20 4

TE Part #173631-1
MCI/O REC CONTACT REEL

TE Part #1463260-1
DAHT 025 TAB REC G-Tab 22-20 ASSY

TE Part #5-1618407-3
EV202MSAND=RELAY, EV202 DPST-NO, 28V

TE Part #6-1676123-9
1/2W SM M/OX 5% 560R

TE Part #1-2186502-1
T3224-PRINTER

TE Part #5179029-8
0.8FH,P06H.5,160,08/Sn,TU

Documents

Product Drawings

EV202ASAND=Relay, DPST-NO 28V

English

Datasheets & Catalog Pages

5-1773450-5_sec7_EV200A

English



KILOVAC EV202 CONTACTOR

English

Agency Approvals

CE Declaration of Conformity

English