FG1620 ✔ ACTIVE

FG Series

TE Internal #: FG1620

Baton/Stick Antenna, Single Band, VHF, External Mount, Pole/Mast /Bracket Mount, N-type, Omnidirectional, Single Port, 0 < 3 dBi Peak Gain, FG Series

View on TE.com >

Antennas



Communication Protocol: **VHF**

Mounting Location: **External**

Mounting Type: **Pole/Mast/Bracket Mount**

Frequency Category: **132 – 174**

Antenna Type: **Baton/Stick**

Features

Product Type Features

Antenna Termination	N-type
Antenna Product Type	Antenna

Configuration Features

Antenna Style	Stick/Baton
Mounting Location	External
Antenna Type	Baton/Stick
Band Type	Single Band
Port Configuration	Single Port

Signal Characteristics

Frequency Band	162 – 168 MHz
Gain (Max)	2.15 dB
Frequency Category	132 – 174
Peak Gain	0 < 3 dBi

Mechanical Attachment

Mounting Type	Pole/Mast/Bracket Mount

Operation/Application

Antenna Environment	Outdoor

Directionality	Omnidirectional

Industry Standards

Communication Protocol	VHF
Primary Application	VHF

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	未针对中国 RoHS 符合性进行审核 Not reviewed for China RoHS compliance
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Not Yet Reviewed
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles'(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # FM2
MOUNT,HD,2.5 MAST




TE Part # FG1563
OMNI,FG,156-162MHZ,200W 159MHz, 5dBi




TE Part # FG1623
OMNI,FG,162-168MHZ,200W 168MHz, 5dBi

Also in the Series | FG Series



Antennas(43)



Outdoor Antennas(43)



Public Safety Antennas(43)

Customers Also Bought



TE Part #FG4500
OMNI,FG,450-470MHZ,100W 460MHz, 2dBi



TE Part #LBMB8U
MOUNT,MIR,3/4,58U



TE Part #B1322W
WHIP,MC,1/2,132-174MHZ 143,2.4,CH, GP/NGP



TE Part #BB4505CNS
WHIP,MC,CC,450-470MHZ TUN,5,BK, NGP,SPRIN



TE Part #B1322N
WHIP,MC,CTP,132-174MHZ 143MHZ, 2.4,CH,NGP



TE Part #FG7463
OMNI,FG,746-796MHz,



TE Part #MABT8U25
MOUNT,BMM,3/8,58U



TE Part #GBR8
MOUNT,MGM,3/4,58A



TE Part #GB8P25
MOUNT,MGM,3/4,58A,UHFM



TE Part #MB8-L
MOUNT,BMM,3/4,58A STD,17FT58A

Documents

Agency Approvals

UK Declaration of Conformity

English