



FG Series

TE Internal #: FG8246
Baton/Stick Antenna, Single Band, LoRaWAN, External Mount, Pole /Mast/Bracket Mount, N-type, Omnidirectional, Single Port, > 6 dBi Peak Gain, FG Series

[View on TE.com >](#)

Antennas



Communication Protocol: **LoRaWAN**
Mounting Location: **External**
Mounting Type: **Pole/Mast/Bracket Mount**
Frequency Category: **901 – 941**
Antenna Type: **Baton/Stick**

Features

Product Type Features

Antenna Termination	N-type
Antenna Product Type	Antenna

Configuration Features

Antenna Style	Stick/Baton
Mounting Location	External
Antenna Type	Baton/Stick
Band Type	Single Band
Port Configuration	Single Port

Signal Characteristics

Frequency Band	824 – 896 MHz
Gain (Max)	8.15 dB
Frequency Category	901 – 941
Peak Gain	> 6 dBi

Mechanical Attachment

Mounting Type	Pole/Mast/Bracket Mount
---------------	-------------------------

Operation/Application

Antenna Environment	Outdoor
---------------------	---------



Directionality

Omnidirectional

Industry Standards

Communication Protocol	LoRaWAN
Primary Application	LoRaWAN

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	未针对中国 RoHS 符合性进行审核 Not reviewed for China RoHS compliance
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: FEB 2026 (253) Not Yet Reviewed
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts





TE Part # FG8960
OMNI,FG,896-940MHz, 918MHz,0dBd



TE Part # FG8243
OMNI,FG,824-896MHZ 860MHz,3dBd




TE Part # FM2
MOUNT,HD,2.5 MAST

Also in the Series | **FG Series**



ISM, LPWAN & LoRaWAN Antennas
(15)




Outdoor Antennas(43)




Public Safety Antennas(43)

Customers Also Bought



TE Part #Y8066
YAGI,FWG,6,806-896MHZ 851,11dBi,



TE Part #Y4505
YAGI,FWG,5,450-470MHz



TE Part #FG4605
OMNI,FG,460-470MHZ,100W 465MHz, 7dBi



TE Part #TRA9023NP
OMNI,SB,Ph,902-928MHZ 3,NP PMT



TE Part #TRAB9023
OMNI,SB,PH,902-928MHZ 3,3/4 NMO



TE Part #LBH3400
MOUNT,BKT,3/4



TE Part #QW220
WHIP, QW, 1/4,220-225MHz 222.5, 0dB, CH,



TE Part #Y1505
YAGI,GLD,5,150-174 MHz 9.2dBi



TE Part #MABT8U
MOUNT,BMM,3/8,58U 1/4,17FT58U



TE Part #QWRCB-L
MISCACC, RC, MHz CH RAIN CAP NMO Style



Documents

Agency Approvals

UK Declaration of Conformity

English