G13-01-1631 ✔ ACTIVE

KISSLING | KISSLING Series G13

TE Internal #: K1123113

Limit Switch, Single Pole - Double Throw Configuration (Pole-Throw), Single Actuator, Extended Actuator, Snap Action, KISSLING Series G13

View on TE.com >

Switches > Push Button Switches







Configuration (Pole-Throw): **Single Pole - Double Throw**

Push Button Switch Product Type: **Limit Switch**

Number of Actuators: **Single**

Actuator Profile: **Extended**

Bushing Style: **Threaded**

Features

Product Type Features

Switch Connection Type	DIN Connector
Push Button Switch Product Type	Limit Switch
Illuminated	Without
Actuator Style	Round Actuator

Configuration Features

Configuration (Pole-Throw)	Single Pole - Double Throw
Number of Actuators	Single
Snap Action	With
Support Bracket	With
Switch Feedback Type	Tactile
Operating Function	NO NC, Momentary

Electrical Characteristics

Contact Current Rating	7 A
Operating Voltage Range	28 VDC

Body Features

Actuator Force	6118.3 g[215.81 oz]
Actuator Profile	Extended
Bushing Style	Threaded
Bushing Thread Size	M20 x 1.5
Actuator Color	Red

Mechanical Attachment

Product Mount Type	Panel Mount

Operation/Application

Actuator Total Travel	6 mm[.236 in]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: FEB 2026 (253) Candidate List Declared Against: Not Yet Reviewed SVHC > Threshold: Pb (4% in Component) Cd (1.2% in Component) **Article Safe Usage Statements:** Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles'(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An

Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



TE Part # K1050108
Limit switch G13-01-1536



TE Part # K1153104
Saftety Cap TS-2 06-63-170



TE Part # K1166669
Foot Switch 44-03-008-1



TE Part # K1125644
Limit switch G13-01-1643



TE Part # CAT-AL8-STPBSC
Push Button Switch, Center Thread, 1 Actuator, Flush Profile




TE Part # CAT-AL8-KSEESS
Emergency Stop Switch, 1 Actuator, Flush, Threaded Bushing



TE Part # K1130802
Plunger Switch 44-02-027



TE Part # K1133413
Limit switch G13-01-1700



TE Part # K1165897
Foot Switch 44-03-028



TE Part # K1022851
Adapter Typ 26-57-51



TE Part # CAT-AL8-STPBSS
Push Button Switch, Socket, 1 Actuator, Flush Profile



TE Part # K1122917
Limit switch G13-01-1629



TE Part # K1070300
Emerg. Mainswitch 1000A TYP 24-01-00-904



TE Part # K1147734
Plunger Switch 44-03-006



TE Part # K1138349
Emergency Power Switch Type 24-05-02

Also in the Series | KISSLING Series G13




Limit Switches(65)



Push Button Switches(65)

Customers Also Bought



TE Part #16-04477
GASKET, 24SZ, BLK, HD30



TE Part #112263-90
PANEL NUT, SIZE 24, HD30



TE Part #CAT-D48-ST273
DEUTSCH Connector Solid Contacts



TE Part #W3S-1939-P012
WEDGE LOCK, 3P, PLG, BLU,SL RET, J1939,DT



TE Part #DT04-3P-E008
REC, 3P, GRY, N, XCAP



TE Part #DT06-6S-P012
PLG, 6P, BLK, N, SEAL RET



TE Part #HD36-24-29PE
PLG, 29P, AL, E, 12/16/20, P



TE Part #DT06-3S-P006
PLG, 3P, GRY, 120 OHM RESISTOR

Documents

Product Drawings

Limit switch G13-01-1631

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_G13-01-1631_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_G13-01-1631_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_G13-01-1631_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

KISSLING LIMIT SWITCH Series G13

English