GPO-135-19/9.5-0-SP ✔ ACTIVE

RAYCHEM | RAYCHEM GPO

TE Internal #: 1807774001

Heat Shrink Tubing, Black, 2:1, Single Wall, Shrinks To 9.5 mm [.374 in], Irradiated Modified Polyolefin, 19 mm [.748 in] Expanded Inside, RAYCHEM GPO

View on TE.com >

Heat Shrink Tubing > GPO-135 Heat Shrink Tubing

Tubing Product Type: **Heat Shrink Tubing**

Primary Product Color: **Black**

Wall Type: **Single Wall**

Expanded Inside Diameter (Min): **19 mm [.748 in]**

Recovered Inside Diameter (Max): **9.5 mm [.374 in]**

All GPO-135 Heat Shrink Tubing (13)

Features

Product Type Features

Tubing Product Type	Heat Shrink Tubing
Wall Type	Single Wall

Body Features

Fluid Type	Gasoline, Hydraulic Fluid, Lubricating Oil
Primary Product Color	Black
Shrink Ratio	2:1
Primary Product Material	Irradiated Modified Polyolefin
Flexibility	Flexible

Dimensions

Recovered Wall Thickness (Nominal)	.75 mm[.03 in]
Recovered Wall Thickness (Tolerance)	.15 mm[.006 in]
Expanded Inside Diameter (Min)	19 mm[.748 in]
Recovered Inside Diameter (Max)	9.5 mm[.374 in]
Tubing Size Range	9.5 – 19 mm[.374 – .748 in]

Usage Conditions

Shrink Temperature (Min)	80 °C
Tubing Flammability Type	Flame-Retardant
Operating Temperature Range	-55 – 135 °C[-67 – 275 °F]
Recovery Temperature	121 °C

Operation/Application

Mechanical Resistance	Abrasion, Fluids, Mechanical Damage, Strain Relief

Product Availability

Applicable Region	Global

Packaging Features

Packaging Method	Spool

Other

Meets Low Outgassing Requirements	No
Product Source	Czech Republic

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # EG1114-000
CV1981-ST-230V1600W-EU

Also in the Series | RAYCHEM GPO



Heat Shrink Tubing(13)



Single Wall Tubing(13)

Customers Also Bought



TE Part #2908733004
RAY-90-30.0(50)



TE Part #2H00143003
RAY-90-20.0(50)



TE Part #353081-000
222A121-100-0



TE Part #280370-2
2P AMPMODU II SHRD HDR, ST, 0.38 AU



TE Part #2-1676480-6
CRG0402 1% 1K5



TE Part #1761608-7
IDC LOW PRO HDR 20P VERT SHT L



TE Part #2-1761609-7
IDC LOW PRO HDR 20P RA SHT LAT BLUE



TE Part #2-1761713-3
IDC LOW PRO HDR 10P VERT SHT L



TE Part #CD61213001
44A0111-22-6CK0300



TE Part #CT14163001
CL105-12X2X0.50-PIO-0CK5500

Documents

Datasheets & Catalog Pages

Application Tooling for Raychem Heat Shrink Product

English

Product Specifications

Quality Specification

English