

HT-SCE-1K-1/2-2.0-9

✓ ACTIVE

HT-SCE

TE Internal #: 6036230001

White, High Temperature, Ladder, Recovered ID 6.35 mm [.25 in], 2:1, 1 Markers per Sleeve, 50.8 mm [2 in] Length, HT-SCE

[View on TE.com >](#)



Identification & Labeling > Printable Tubing > HT-SCE High Temperature Sleeves



Printable Tubing Type: **Ladder**
Printable Tubing Grade: **High Temperature**
Shrink Ratio: **2:1**
Primary Product Color: **White**
Markers per Sleeve: **1**

[All HT-SCE High Temperature Sleeves \(51\)](#)

Features

Product Type Features

Printable Tubing Type	Ladder
Printable Tubing Grade	High Temperature

Body Features

Shrink Ratio	2:1
Primary Product Color	White
Markers per Sleeve	1

Dimensions

Product Length	50.8 mm[2 in]
Expanded Inside Diameter (Min)	12.7 mm[.5 in]
Recovered Inside Diameter (Max)	6.35 mm[.25 in]
Compatible Cable Diameter Range	6.4 – 10.1 mm[.25 – .4 in]

Usage Conditions

Operating Temperature Range	-55 – 225 °C[-67 – 437 °F]
-----------------------------	----------------------------

Printer/Label Features

Printer Technology	Thermal Transfer
--------------------	------------------

Packaging Features

--	--

Packaging Quantity	1000
--------------------	------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-2186501-1
T3212-SWARE-PRINTER



TE Part # 1-2186502-1
T3224-PRINTER



TE Part # 1-2186500-1
T3212-PRINTER




TE Part # 1-2186503-1
T3224-SWARE-PRINTER

HT-SCE-1K-1/2-2.0-9

White, High Temperature, Ladder, Recovered ID 6.35 mm [.25 in], 2:1, 1 Markers per Sleeve, 50.8 mm [2 in] Length, HT-SCE






TE Part # 754073-000

TMS-RJS-RIBBON-4HT

Also in the Series | HT-SCE



Printable Tubing(16)

Customers Also Bought



TE Part #ZPF00000000020078

FDBA 57-8-3A-PN-K 090 A499

TE Part #JN1130C

OPTICAL CONTACT MC5 2.5MM DIA CABLE EFA.

TE Part #ZPF000000000108377

DBAS 79G 61-0 PY 090 SCC



TE Part #9934510001

HT-SCE-1K-1/8-2.0-9

TE Part #ZPF00000000012722

DBAS 70-61-0 SY 090 SCC



TE Part #328588

SPLICE,SOLIS BUTT STRAP 24-20

TE Part #5263850001

CM-SCE-2.5K-1/2-6H-9

TE Part #457460-ZZ

ALIGNMENT SLEEVE MIL-T-29504 CONTACTS

TE Part #A32355-000

CM-SCE-TP-1/4-4H-4CS34034

TE Part #JN1104S50C

CONTACT SOCKET ASSY FOR JN1104 COAX



Documents

Datasheets & Catalog Pages

HT-SCE High Temperature Heat Shrink Identification System

English

Cable Identification Product Shelf Life

English

Product Specifications

IDENTIFCATION PRINTER PRODUCT RIBBON MATRIX

English

Instruction Sheets

Instruction Sheet (non U.S.)

English