



Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: **General Purpose Power Relay**

Coil Magnetic System: **Monostable**

Contact Arrangement: **1 Form A SPST-NO**

Current Type: **DC**

Contact Current Rating: **50 A**

Features

Product Type Features

Relay & Contactor Type	General Purpose Power Relay
------------------------	-----------------------------

Configuration Features

Coil Special Features	None
Contact Number of Poles	1
Contact Arrangement	1 Form A SPST-NO

Electrical Characteristics

Coil Resistance	26 Ω
Contact Current Rating	50 A
Coil Voltage Rating	12 VDC
Contact Voltage Rating	12 VDC
Coil Power Rating DC	6 W

Body Features

Enclosure Type	Environmentally Sealed
----------------	------------------------



Contact Features

Contact Material	Silver Alloy
------------------	--------------

Termination Features

Main Termination & Connection Type	M5 Screw
Coil Termination & Connection Type	M3 Screw

Mechanical Attachment

Product Mounting Feature Type	Flange with Mounting Holes
Product Mount Type	Panel Mount

Dimensions

Product Width	38 mm[1.496 in]
Product Length	68 mm[2.67 in]
Product Height	61.5 mm[2.421 in]

Usage Conditions

Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
Environmental Ambient Temperature (Max)	85 °C[185 °F]

Operation/Application

Coil Magnetic System	Monostable
Current Type	DC

Packaging Features

Packaging Method	Package
------------------	---------

Other

Contact Current Class	>32 – ≤50 A
Coil Power Rating Class	>3 – ≤10 W
Height Class (Mechanical)	>45 – ≤70 mm[>1.772 – ≤2.756 in]
Length Class (Mechanical)	>45 – ≤70 mm[>1.772 – ≤2.756 in]
Width Class (Mechanical)	>33 mm[>1.299 in]

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold



EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2025
(250)
Candidate List Declared Against: JAN 2025
(247)
SVHC > Threshold:
Pb (8% in Component Part)
Article Safe Usage Statements:
Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Halogen Content

Not Yet Reviewed for halogen content

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE’s information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) ‘Guidance on requirements for substances in articles’(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of ‘complex object’, the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA “Guidance on requirements for substances in articles” (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts

 TE Part # K1008014 Relay 26-71-02	 TE Part # K1008006 Relay 26-71-01	 TE Part # CAT-AL6-KSPR29300 Power Relay, 300A, Standard, Monostable, DC	 TE Part # K1123882 Relay 26-55-72-906
 TE Part # CAT-AL6-KSPR29200 Power Relay, 200A, Standard, Monostable, DC	 TE Part # K1022866 Relay 26-72-02-900	 TE Part # K1013636 Relay 26-05-52	 TE Part # K1060251 Relay 29-311-12-915



TE Part # K1060540
Relay 26-55-010



TE Part # K1013137
Relay 26-05-51



TE Part # K1010987
Relay 26-73-04



TE Part # K1012918
Relay 26-70-04



TE Part # K1021595
Relay 26-71-04



TE Part # K1021411
Suppression Device 24V 29-200-50



TE Part # K1015458
Relay 26-57-710



TE Part # K1013507
Connection kit Typ 26-06-56



TE Part # K1014838
Relay 26-72-23



TE Part # K1130021
Relay 26-05-71



TE Part # K1006933
Relay 26-58-09




TE Part # K1014867
Relay 26-57-21

Also in the Series | **KISSLING Series 26**



Automotive Relays(106)



General Purpose Power Relays(98)



Relay Accessories(11)



Switch Seals & Accessories(1)


Customers Also Bought



TE Part #320563
TERMINAL,PIDG R 16-14 1/4



TE Part #324051
TERMINAL,T-N R 4 5/16



TE Part #325069
TERMINAL,SOLIS FLAG R 16-14 8



Documents

Product Drawings

Relay 26-71-22

English

Relay 26-71-22

German

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_26-71-22_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_26-71-22_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_26-71-22_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

KISSLING HIGH PERFORMANCE RELAYS Series 26 / 50A

English

Solutions for Defense Applications Certified to VG Standards

English