30-313-12-EC-10-900 ✔ ACTIVE


KISSLING | KISSLING Series 30

TE Internal #: K1129502

Bistable, 2 Coils, Polarized, 8 ohm Coil Resistance, Coil Suppression Diode, 18 VDC / 32 VDC Coil Voltage, KISSLING Series 30, Power Relays

View on TE.com >

Relays & Contactors > Relays > Power Relays




Coil Magnetic System: **Bistable, 2 Coils, Polarized**

Coil Resistance: **8 Ω**

Coil Special Features: **Coil Suppression Diode**

Coil Voltage Rating: **18 VDC, 32 VDC**

Contact Arrangement: **1 Form X SPST-NO-DM**

Features

Configuration Features

Coil Special Features	Coil Suppression Diode
Contact Arrangement	1 Form X SPST-NO-DM
Contact Number of Poles	1

Electrical Characteristics

Coil Resistance	8 Ω
Coil Voltage Rating	18 VDC, 32 VDC
Contact Current Rating	300 A
Contact Voltage Rating	24 VDC

Contact Features

Contact Material	Silver Alloy

Termination Features

Relay Connection Type	Terminals
Terminal Configuration	Screw Terminals

Mechanical Attachment

Product Mounting Feature Type	Flange with Mounting Slots
Product Mount Type	Panel

Dimensions

Product Width	60 mm[2.36 in]
Product Length	78 mm[3.07 in]
Product Height	110 mm[4.33 in]

Operation/Application

Coil Magnetic System	Bistable, 2 Coils, Polarized

Other

Contact Current Class	300 A

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Yet Reviewed
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	Not reviewed for China RoHS compliance
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2024 (241) Not Yet Reviewed
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles'(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.


Compatible Parts



TE Part # K1143403
Relay 30-313-12-EC-10-905


TE Part # K1158916
Relay 30-313-12-EC-10-915

Also in the Series | KISSLING Series 30



Power Relays(37)

Customers Also Bought



TE Part #DT-RT1
EXT TOOL, FRONT RELEASE



TE Part #K1002974
Toggle Switch 07-1-2-12



TE Part #2063677-1
SDE MCP1.5 1.5mm2 ASSY



TE Part #2392463-1
SDE F PIN/S0CKET 12-14 ASSY

Documents

Product Drawings

Relay 30-313-12-EC-10-900

German

CAD Files

Customer View Model
ENG_CVM_CVM_K1129502_1.2d_dxf.zip

English

Customer View Model
ENG_CVM_CVM_K1129502_1.3d_stp.zip

English

Customer View Model
ENG_CVM_CVM_K1129502_1.3d_igs.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the Terms and Conditions of use.