

PRD-11AG0-120

✓ ACTIVE


TE Internal #: 1393127-9

General Purpose Power Relay, AC, Monostable, 2 Form C DPDT-CO, 30 A Contact Rating, 120 VAC Coil Voltage, 600 VAC Contact Voltage

[View on TE.com >](#)



Relays & Contactors > Electromechanical Relays



Relay & Contactor Type: **General Purpose Power Relay**
Coil Magnetic System: **Monostable**
Contact Arrangement: **2 Form C DPDT-CO**
Current Type: **AC**
Contact Current Rating: **30 A**

Features

Product Type Features

Relay & Contactor Type	General Purpose Power Relay
------------------------	-----------------------------

Configuration Features

Coil Special Features	UL Coil Insulation Class B
Contact Number of Poles	2
Contact Arrangement	2 Form C DPDT-CO

Electrical Characteristics

Contact Switching Load (Min)	1A @ 12V
Coil Resistance	290 Ω
Coil Power Rating AC	9.8 VA
Contact Switching Voltage (Max)	600 VAC
Contact Current Rating	30 A
Coil Voltage Rating	120 VAC
Contact Voltage Rating	125 VDC
Insulation Initial Dielectric Between Contacts & Coil	2000 Vrms



Contact Features

Contact Material	Silver Cadmium Oxide
------------------	----------------------

Termination Features

Main Termination & Connection Type	8-32 Screw
Coil Termination & Connection Type	6-32 Screw

Mechanical Attachment

Product Mounting Feature Type	Mounting Hole
Product Mount Type	Panel Mount

Dimensions

Product Width	63.8 mm[2.512 in]
Product Length	85.73 mm[3.375 in]
Product Height	63.5 mm[2.5 in]

Usage Conditions

Operating Temperature Range	-55 – 45 °C[-67 – 113 °F]
Environmental Ambient Temperature (Max)	45 °C[113 °F]

Operation/Application

Coil Magnetic System	Monostable
Current Type	AC

Packaging Features

Packaging Method	Tray
------------------	------

Other

	>3.5 VA
Contact Current Class	>25 – ≤32 A
Height Class (Mechanical)	>45 – ≤70 mm[>1.772 – ≤2.756 in]
Length Class (Mechanical)	>70 mm[>2.756 in]
Width Class (Mechanical)	>33 mm[>1.299 in]

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted



	Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Cd (2.5% in Component Part) Cadmium oxide (10% in 17260217151) DBMC (.5% in 20635946948) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 35152
TERMINAL,PIDG SPD 12-10 8



TE Part # 2-320568-2
TERM, RT, PIDG IR, 12, #8

Customers Also Bought





TE Part #K1159062
Toggle Switch 07-2-2-13 D 936



TE Part #D54063-000
WP-101101-1.3-9



TE Part #62122-1
110 FASTON TAB 22-18 TPBR



TE Part #193797-1
SKT ASSY - 2MM, 10 AWG



TE Part #1-1393127-2
PRD-11AG0-240=PRD



TE Part #4-1393127-7
PRD-11DH0-12=PRD



TE Part #6-1393127-0
PRD-11DY0-110=PRD



TE Part #9-1393211-4
T92S11D22-24



TE Part #3-1879355-8
RR03 5% 150K AMMO



TE Part #1478884-3
METRIC EMC GLAND M20X1.5

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1393127-9_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1393127-9_C.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1393127-9_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

PRD 10 to 50 Amp Heavy Duty AC or DC Power Relay

English

Product Specifications



Definitions General Purpose Relays

English

Agency Approvals

UL

English