RD2458-5-OTDR-NM ✔ ACTIVE

TE Internal #: RD2458-5-OTDR-NM

Terminal/Duck Antenna, Triple Band, Wi-Fi, External Mount, Stud /Screw/Lug Mount, N-type, Omnidirectional, Single Port, > 6 dBi Peak Gain

View on TE.com >

Antennas



Communication Protocol: **Wi-Fi**

Mounting Location: **External**

Mounting Type: **Stud/Screw/Lug Mount**

Frequency Category: **2400 – 5950**

Antenna Type: **Terminal/Duck**

Features

Product Type Features

Antenna Termination	N-type
Antenna Product Type	Antenna

Configuration Features

Antenna Style	Dipole, Stubby
Mounting Location	External
Antenna Type	Terminal/Duck
Band Type	Triple Band
Port Configuration	Single Port

Signal Characteristics

Frequency Band	2400 – 2500 MHz, 5150 – 5350 MHz, 5725 – 5850 MHz
Gain (Max)	5 dB
Frequency Category	2400 – 5950
Peak Gain	> 6 dBi

Mechanical Attachment

Mounting Type	Stud/Screw/Lug Mount

Operation/Application

Antenna Environment	Indoor, Outdoor

Directionality	Omnidirectional

Industry Standards

Communication Protocol	Wi-Fi
Primary Application	Wi-Fi

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	未针对中国 RoHS 符合性进行审核 Not reviewed for China RoHS compliance
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2024 (240) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles'(Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts




TE Part # RD2458-5-NM
Dipol,RDuck,Fixed,NM 2400-5850MHz, 5dBi



TE Part # RD2458-5-RSMA
Dipol,RDuck,Fixed,RSMAM 2400-5850MHz,5dB

Customers Also Bought




TE Part #9242833001
99M0111-24-0



TE Part #MS583730BA01-50
MS5837-30BA01 30BA T&R PRESSURE SEN


TE Part #86H3-11-1-C-AD
86H3-11-1-C-AD




TE Part #EM0635-000
202S211-25C-0



TE Part #D07339-000
HW-191064-10-9



TE Part #CT91943001
55A1121-24-0/9-09



TE Part #173724-1
187 PL EX REC. 20-14AWG PTBR



TE Part #3-1393104-2
KRPA-11AN-120=KRPA



TE Part #5-1879213-5
CPF 0402 97R6 0.1% 25PPM 1K RL



TE Part #080-0001
CABLE,U.FL to SMA Bulkhd 1.13mm Dia,105m

Documents

Product Drawings

Dipol,RDuck,FIXED,NM 2400-5850MHz,5dBi,O

English

Agency Approvals

UK Declaration of Conformity

English