# RNF-3000-18/6-0-STK ✔ ACTIVE

RAYCHEM | RAYCHEM RNF-3000

TE Internal #: 8638622003

Heat Shrink Tubing, Black, 3:1, Single Wall, Shrinks To 6 mm [.236 in], Irradiated Modified Polyolefin, RAYCHEM RNF-3000

View on TE.com >

Heat Shrink Tubing > RNF-3000 Heat Shrink Tubing





Tubing Product Type: **Heat Shrink Tubing**

Primary Product Color: **Black**

Wall Type: **Single Wall**

Expanded Inside Diameter (Min): **18 mm [ .709 in ]**

Recovered Inside Diameter (Max): **6 mm [ .236 in ]**

All RNF-3000 Heat Shrink Tubing (209)

## Features

### Product Type Features

| | |
|---|---|
| Tubing Product Type | Heat Shrink Tubing |
| Wall Type | Single Wall |

### Electrical Characteristics

| | |
|---|---|
| Operating Voltage (Max) | .6 kV |

### Body Features

| | |
|---|---|
| Fluid Type | Gasoline, Hydraulic Fluid, Lubricating Oil, Water |
| Primary Product Color | Black |
| Shrink Ratio | 3:1 |
| Primary Product Material | Irradiated Modified Polyolefin |
| Flexibility | Flexible |

### Dimensions

| | |
|---|---|
| Recovered Wall Thickness (Nominal) | .85 mm[.033 in] |
| Product Length | 1220 mm[48.031 in] |
| Recovered Wall Thickness (Tolerance) | .12 mm[.004 in] |
| Expanded Inside Diameter (Min) | 18 mm[.709 in] |
| Recovered Inside Diameter (Max) | 6 mm[.236 in] |

| | |
|---|---|
| Tubing Size Range | 6 – 18 mm[.236 – .709 in] |

### Usage Conditions

| | |
|---|---|
| Shrink Temperature (Min) | 80 °C |
| Tubing Flammability Type | Flame-Retardant |
| Operating Temperature Range | -55 – 135 °C[-67 – 275 °F] |
| Recovery Temperature | 120 °C |

### Operation/Application

| | |
|---|---|
| Mechanical Resistance | Abrasion, Fluids, Mechanical Damage, Strain Relief |

### Product Availability

| | |
|---|---|
| Applicable Region | Global |

### Packaging Features

| | |
|---|---|
| Packaging Method | Stick |

### Other

| | |
|---|---|
| Meets Low Outgassing Requirements | No |
| Product Source | Czech Republic |

## Product Compliance

For compliance documentation, visit the product page on TE.com>

| | |
|---|---|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | 有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2025 (250)<br>Candidate List Declared Against: JUNE 2025 (250)<br>Does not contain REACH SVHC |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these

limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## Compatible Parts



TE Part # 2394980-1
MOD 105 TUN OVEN, 69" ENTRY, STARDARD




TE Part # 955018-000
CLTEQ-M105-TUNNEL-OVEN



TE Part # 2326489-1
MODEL 105 TUNNEL OVEN, 36" ENTRY, STANDA

## Also in the Series | RAYCHEM RNF-3000



Heat Shrink Tubing(209)




Orange Heat Shrink Tubing(11)



Single Wall Tubing(209)


## Customers Also Bought




TE Part #753454-000
D-602-0140



TE Part #ZPF000000000000418
006-1159-12 A



TE Part #176819-000
B-150-11




TE Part #558882-000
SLT-5X



TE Part #5677562009
RNF-3000-3/1-0-STK



TE Part #ASU003-03PC-HE
RECEPT ASSY 2 HOLE MTG AS 3 WAY



TE Part #WM-2PA
WEDGE LOCK, 2P, REC, GRY, DTM, A



TE Part #60838-1
FF 250 REC 22-18AWG TPBR LP



TE Part #CT56603001
55A1121-22-0/9-9CK0001

TE Part #674282-000
D-602-0151CS2831

## Documents

### Product Drawings

RNF-3000-18/6-0-STK

English

### Datasheets & Catalog Pages

Application Tooling for Raychem Heat Shrink Product

English

RNF-300 Tubing

English

### Product Specifications

Quality Specification

English