




Passive Components > Resistors > Through-Hole Resistors



Resistor Type: **Power Resistor**

Element Type: **Metal Oxide Film**

Power Rating: **1 W**

Resistance Class: **1kΩ – 1MΩ**

Resistance Value: **820K Ω**

Features

Product Type Features

Resistor Type	Power Resistor
Element Type	Metal Oxide Film

Configuration Features

Number of Resistors	1
---------------------	---

Electrical Characteristics

Power Rating	1 W
Resistance Class	1kΩ – 1MΩ
Resistance Value	820K Ω
Passive Component Tolerance	5 %

Body Features

Lead Type	Axial-Leaded
-----------	--------------

Termination Features

Termination Area Base Material	Copper
--------------------------------	--------



Number of Terminations	2
------------------------	---

Dimensions

Passive Component Dimensions	12 x 5 mm
------------------------------	-----------

Usage Conditions

Operating Temperature Range	-55 – 130 °C[-67 – 266 °F]
Temperature Coefficient	±350 ppm/°C

Packaging Features

Packaging Method	Ammo Packed
------------------	-------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

ROX1SJ820K

820K ohm, Metal Oxide Film, Power Resistor, 5 %, 1 W, ±350 ppm/°C, Axial-Leaded, Copper Termination, 12 x 5 mm, Ammo Packed, 2 Terminations, NEOHM ROX




 TE Part # 1625889-2 2W SM M/OX 2% 39R	 TE Part # 1-1625886-9 1W SM M/OX 5% 47K	 TE Part # 1-1676123-4 1/2W SM M/OX 5% 3R0	 TE Part # 1-1625885-7 1W SM M/OX 5% 120R
 TE Part # 1-1625893-6 5W SM M/OX 5% 510K	 TE Part # 1-1676123-8 1/2W SM M/OX 5% 4R3	 TE Part # 2-1676123-7 1/2W SM M/OX 5% 10R	 TE Part # 2-1625885-5 1W SM M/OX 5% 15R
 TE Part # 2-1625885-6 1W SM M/OX 5% 180K	 TE Part # 2-1625890-7 2W SM M/OX 5% 1R0	 TE Part # 1625886-4 1W SM M/OX 5% 330R	 TE Part # 1625893-9 5W SM M/OX 5% 100K
 TE Part # 1625886-1 1W SM M/OX 5% 30K	 TE Part # 1625886-2 1W SM M/OX 5% 330K	 TE Part # 1676123-7 1/2W SM M/OX 5% 1R5	 TE Part # 1625888-2 2W STD M/OX 5% 180R
 TE Part # 1625885-6 1W SM M/OX 5% R22	 TE Part # 1676123-6 1/2W SM M/OX 5% 1R3	 TE Part # 1625881-1 1W STD M/OX 2% 1R0	 TE Part # 1625893-1 5W SM M/OX 5% 10R

Also in the Series | NEOHM ROX




Through-Hole Resistors(783)


Customers Also Bought



TE Part #63986-1
250 FASTON TAB TPBR



TE Part #323696
SPLICE,SOLIS BUTT HT 12-10



TE Part #2-520407-2
ULTRA-FAST 250 ASY REC 22-18 TPBR



TE Part #1-1393238-5
RTB14012



TE Part #1622578-1
LR1 1% 82K




TE Part #1-1625886-7
1W SM M/OX 5% 470K



TE Part #6-1879026-9
YR1 0.1% 37R4



TE Part #2213858-1
RECEPTACLE ASSEM., LUMAWISE
ENDURANCE S



TE Part #2301844-2
AMPL REC HD20, R/A, 9P, B/L,4-40 S
/LOCK



TE Part #6368150-1
MJ,TE,8P,CAT5,SHIELDED

Documents

Product Drawings

1W SM M/OX 5% 820K

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_4-1625886-1_BA.2d_dxf.zip

ROX1SJ820K

820K ohm, Metal Oxide Film, Power Resistor, 5 %, 1 W, ±350 ppm/°C, Axial-Leaded, Copper Termination, 12 x 5 mm, Ammo Packed, 2 Terminations, NEOHM ROX



English

Customer View Model

[ENG_CVM_CVM_4-1625886-1_BA.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_4-1625886-1_BA.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[4-1773460-6_RESISTIVE_SOLUTIONS_RAIL](#)

English

[1309350_PASSIVE_COMPONENT](#)

English

[Flame Proof Power Metal Oxide Film Resistors - Type ROX Series - Tyco Electronics Passives](#)

English

[8-1773459-4_POWER_FILTERING_AND_RESISTIVE_SOLUTIONS_FOR_ELEVATORS_AND_ESCALATORS](#)

English