



Passive Components > Resistors > Through-Hole Resistors > Wirewound Resistor: Axial Mount, 17 Watt



Resistor Type: **Power Resistor**
Element Type: **Wire Wound**
Power Rating: **11 W**
Resistance Class: **Up to 1kΩ**
Resistance Value: **10 Ω**

[All Wirewound Resistor: Axial Mount, 17 Watt \(40\)](#)

Features

Product Type Features

Resistor Type	Power Resistor
Element Type	Wire Wound

Configuration Features

Number of Resistors	1
---------------------	---

Electrical Characteristics

Power Rating	11 W
Resistance Class	Up to 1kΩ
Resistance Value	10 Ω
Passive Component Tolerance	5 %

Body Features

Lead Type	Axial-Leaded
-----------	--------------

Termination Features



Termination Area Base Material	Copper
Number of Terminations	2

Dimensions

Passive Component Dimensions	50 x 10 x 9 mm
------------------------------	----------------

Usage Conditions

Operating Temperature Range	-55 – 350 °C[-67 – 662 °F]
Temperature Coefficient	±400 ppm/°C

Packaging Features

Packaging Method	Loose Piece - Box
------------------	-------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

SBCHE1110RJ

10 ohm, Wire Wound, Power Resistor, 5 %, 11 W, ±400 ppm/°C, Axial-Leaded, Copper Termination, 50 x 10 x 9 mm, Loose Piece - Box, CGS SBC



TE Part # 1-1623729-9
BCHE 17 W 3R3 10%



TE Part # 1-1623728-8
BCHE 11 W 3K3 5%



TE Part # 1-1623730-2
BCHE 4 W 2R2 5%



TE Part # 2-1623730-8
BCHE 4 W 820R 5%



TE Part # 2-1623729-5
BCHE 17 W 68R 5%



TE Part # 2-1623732-3
BCHE 7 W 22R 5%



TE Part # 2-1623732-5
BCHE 7 W 27R 5%



TE Part # 2-1623728-9
BCHE SBCHE 11 6R8 5%



TE Part # 2-1623728-8
BCHE 11 W 6K8 5%



TE Part # 2-1623730-5
BCHE 4 W 6K8 5%



TE Part # 1623730-1
BCHE 4 W 100R 5%



TE Part # 3-1623729-1
BCHE 17 W 12R 10%



TE Part # 5-1623732-5
BCHE 7 W 6R8 10%



TE Part # 2-1623729-3
BCHE 17 W 4R7 10%



TE Part # 2-1623730-0
BCHE 4 W 4K7 5%



TE Part # 2-1623732-0
BCHE 7 W 1R8 10%



TE Part # 1623728-6
BCHE 11 W 15R 5%



TE Part # 1623732-8
BCHE 7 W 15K 5%



TE Part # 1623729-6
BCHE 17 W 15R 5%



TE Part # 1623728-2
BCHE 11 W 10K 5%

Also in the Series | CGS SBC




Surface Mount Resistors(1)



Through-Hole Resistors(212)

Customers Also Bought



TE Part #160457-2
FF 250 TAB 18-14AWG TPPB



TE Part #1544969-1
TAB, 8MM NG1 PLUS



TE Part #1544970-3
SEAL, NG9K




TE Part #1564324-2
AMP MCP 1.5K, CONTACT, SWS




TE Part #1-1623728-5
BCHE 11 W 2R2 10%



TE Part #7-2176231-7
3522 15K 1% 3W



TE Part #4-2176524-7
3503G 2B 1K65 1% 1K RL



TE Part #5499922-6
A/L UNIV HDR 26P VERT LAT



TE Part #534127-E
SRCA 2,54 3 M 1 SMD 137 E1 094 *
GURT 99



TE Part #1337773-4
50/OHM COAX BNC ELB PLUG ELB P
GURT 99

Documents

Product Drawings

BCHE 11 W 10R 5%

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1623728-3_BA.2d_dxf.zip

SBCHE1110RJ

10 ohm, Wire Wound, Power Resistor, 5 %, 11 W, ±400 ppm/°C, Axial-Leaded, Copper Termination, 50 x 10 x 9 mm, Loose Piece - Box, CGS SBC



English

Customer View Model

[ENG_CVM_CVM_1623728-3_BA.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1623728-3_BA.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[4-1773460-6_RESISTIVE_SOLUTIONS_RAIL](#)

English

[1309350_PASSIVE_COMPONENT](#)

English

[High Power Resistor - Type SBC \(Square Ceramic\) Series - Tyco Electronics Passives](#)

English

[8-1773459-4_POWER_FILTERING_AND_RESISTIVE_SOLUTIONS_FOR_ELEVATORS_AND_ESCALATORS](#)

English