




Switches > Slide Switches



Contact Current Rating: **.4 A**
Configuration (Pole-Throw): **Single Pole - Double Throw**
Product Orientation: **Right Angle**
Contact Base Material: **Phosphor Bronze**
Number of Actuators: **Single**

Features

Product Type Features

Sealed Device	Yes
---------------	-----

Configuration Features

Configuration (Pole-Throw)	Single Pole - Double Throw
Number of Actuators	Single
Number of Positions	3
Operating Function	On Off On

Electrical Characteristics

Contact Current Rating	.4 A
Operating Voltage	20 VDC

Body Features

Actuator Orientation	Side
Actuator Travel	2.2 mm[.087 in]
Product Orientation	Right Angle
Actuator Profile	Extended



Actuator Material	PA 46
-------------------	-------

Actuator Color	Yellow
----------------	--------

Contact Features

Contact Base Material	Phosphor Bronze
-----------------------	-----------------

Switch Contact Plating Material	Gold
---------------------------------	------

Termination Features

Termination Post & Tail Length	3.3 mm[.13 in]
--------------------------------	----------------

Termination Method to PCB	Through Hole - Press-Fit
---------------------------	--------------------------

Dimensions

Product Width	5 mm[.197 in]
---------------	---------------

Product Length	9.5 mm[.374 in]
----------------	-----------------

Actuator Length	2.8 mm[.11 in]
-----------------	----------------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Tray
------------------	------

Other

Grade	Instrumentation
-------	-----------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
--	---

Halogen Content	Not Yet Reviewed for halogen content
-----------------	--------------------------------------

Solder Process Capability	Wave solder capable to 265°C
---------------------------	------------------------------

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Also in the Series | ALCOSWITCH SE

Automotive Connector Locks & Position Assurance(1)	High Speed Backplane Connectors(1)	Printable Tubing(3)	RJ14 Connectors(2)
RJ22 Connectors(3)	RJ25 Connectors(3)	RJ45 Connectors(8)	Slide Switches(5)

Customers Also Bought


TE Part #NB20034001 VERSAFIT-1/4-0-SP	TE Part #802429-SF FN2030-4-06	TE Part #NB19684001 RNF-100-3/32-CL-SP	TE Part #3-100669-0 2MM HM TYPE B PIN ASSEMBLY




TE Part #284541-5
5 POS TERMI-BLOK 900 SF 3,81 m



TE Part #2-331272-6
SOCKET,MIN-SPR AU SER-2




TE Part #499376-9
040 UNIV HDR RA 4S 30DP STD L2



TE Part #2170808-8
QSFP28, 1X2, CAGE ASSY, SPRING, HS, LP



TE Part #5415025-1
JACK, RTANG, PCB, 50 OHM, BNC



TE Part #3-5646729-0
2MM HM,ASY,T-D/E,HDR,8R,200,AP

Documents

Product Drawings

SE1EGRA04=SEALED SLIDE SWITCH

English

CAD Files

Customer View Model

ENG_CVM_CVM_1825031-2_C1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1825031-2_C1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_1825031-2_C1.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SWITCHES_CORE_PROGRAM_CATALOG

English

8-1773450-9_SWITCHES_CATALOG_SECTION_B_SLIDE_SWITCHES

English