SQZR155KJ ✔ ACTIVE


CGS | CGS SQ

TE Internal #: 1623802-4

5K ohm, Metal Oxide / Wire Wound, Power Resistor, 5 %, 15 W, ±300 ppm/°C, Radial-Leaded Pluggable, Steel Termination, 48 x 12.5 x 12 mm, CGS SQ

View on TE.com >

Passive Components > Resistors > Through-Hole Resistors > Wirewound Resistor: Horizontal Mount





Resistor Type: **Power Resistor**

Element Type: **Metal Oxide, Wire Wound**

Power Rating: **15 W**

Resistance Class: **1kΩ – 1MΩ**

Resistance Value: **5K Ω**

All Wirewound Resistor: Horizontal Mount (152)

Features

Product Type Features

Resistor Type	Power Resistor
Element Type	Metal Oxide, Wire Wound

Configuration Features

Number of Resistors	1

Electrical Characteristics

Power Rating	15 W
Resistance Class	1kΩ – 1MΩ
Resistance Value	5K Ω
Passive Component Tolerance	5 %

Body Features

Lead Type	Radial-Leaded Pluggable

Termination Features

Termination Area Base Material	Steel
Number of Terminations	2

Dimensions

Passive Component Dimensions	48 x 12.5 x 12 mm

Usage Conditions

Operating Temperature Range	-55 – 250 °C[-67 – 482 °F]
Temperature Coefficient	±300 ppm/°C

Packaging Features

Packaging Method	Loose Piece - Box

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Part # CAT-C339-SQ1
Wirewound Resistor: Vertical Mount

Also in the Series | CGS SQ



Through-Hole Resistors(659)

Customers Also Bought



TE Part #826646-4
4P AMPMODU II STIFT LEI



TE Part #828657-3
2P JUNIOR-TIMER GEH



TE Part #927771-1
JPT REC 2.8 Contact SRC Sn



TE Part #6-1393243-8
RT424024

TE Part #1623155-1
CRG0805 1% 220K




TE Part #1-2176091-0
RP 2A 0.25W 71R5 0.1% 25PPM 1K RL



TE Part #1-2176091-2
RP 2A 0.25W 75R 0.1% 25PPM 1K RL



TE Part #2-2176329-5
CRGP 1210 1K0 1%



TE Part #2307815-8
8P,2MM,BB,REC,SRVT,SMD,AU.76,TR, W/CP



TE Part #1-2478170-2
15POS, D SUB CABLE, 26AWG, 5 FT, M-T-F

Documents

Product Drawings

SQZ15 5K 5% (METAL FILM)

English

CAD Files

Customer View Model

ENG_CVM_CVM_1623802-4_BA1.3d_igs.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1623802-4_BA1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1623802-4_BA1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

4-1773460-6_RESISTIVE_SOLUTIONS_RAIL

English

1309350_PASSIVE_COMPONENT

English

High Power Resistors - Type SQ Series

English

8-1773459-4_POWER_FILTERING_AND_RESISTIVE_SOLUTIONS_FOR_ELEVATORS_AND_ESCALATORS

English