




Connectors > D-Shaped Connectors > NANONICS DUALOBE Connector: Receptacle, Plastic Shell



Number of Positions: 15
Connector & Housing Type: Receptacle
Connector System: Wire-to-Board
Connector Mounting Type: Board Mount
Centerline (Pitch): 1.27 mm [.05 in]

[All NANONICS DUALOBE Connector: Receptacle, Plastic Shell \(13\)](#)

Features

Product Type Features

Connector & Housing Type	Receptacle
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

Configuration Features

Number of Positions	15
---------------------	----

Contact Features

Contact Type	Socket
Contact Options	Installed

Termination Features

Termination Method to PCB	Through Hole - Solder
Termination Method to Wire & Cable	Preterminated Flying Leads

Mechanical Attachment

Connector Mounting Type	Board Mount
-------------------------	-------------

Housing Features

Centerline (Pitch)	1.27 mm[.05 in]
--------------------	-----------------



Operation/Application

Circuit Application	Power
---------------------	-------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (40% in 74023047) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not lead free process capable

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Customers Also Bought

SSL015M6CN

15 Position D-Shaped Connector, Receptacle, Wire-to-Board, Board Mount, 1.27 mm
[.05 in] Centerline, Printed Circuit Board, Power



TE Part #CAT-SSL-RECEPTACLE
NANONICS DUALOBE Connector:
Receptacle, Plastic Shell

TE Part #1623184-1
CRG0805 1% 2M2

TE Part #4-1879127-1
RN 0402 340R 0.1% 10PPM 1K RL

TE Part #2176387-1
RQ 1206 133K 0.1% 10PPM 1K RL

TE Part #5557804-1
MJ ASSY,8POS,R/A,KEYED

TE Part #4-1589449-6
USS015SC2DC006 = STRIP CON

TE Part #3-1589455-1
SSL025PC2DC006 = WDUALOBE

TE Part #8-1589487-0
STL051M6AN = THRU-HOLE

TE Part #1589827-3
SSL015PC2DC003N = WDUALOBE

Documents

Product Drawings

SSL015M6CN = THRU-HOLE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_3-1589469-8_T_c-3-1589469-8-t.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_3-1589469-8_T_c-3-1589469-8-t.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_3-1589469-8_T_c-3-1589469-8-t.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

SSL015M6CN

15 Position D-Shaped Connector, Receptacle, Wire-to-Board, Board Mount, 1.27 mm
[.05 in] Centerline, Printed Circuit Board, Power



1589469 Nanonics Cross Reference

English