



Switches > Toggle Switches



Configuration (Pole-Throw): **Single Pole - Double Throw**

Operating Function: **On On**

Number of Positions: **2**

Contact Current Rating: **.4 A**

Operating Voltage: **20 VDC**

Features

Product Type Features

Sealed Device	Yes
Switch Connection Type	Printed Circuit
Toggle Style	Baton Short
Switch Type	Toggle Switch

Configuration Features

Configuration (Pole-Throw)	Single Pole - Double Throw
Operating Function	On On
Number of Positions	2

Electrical Characteristics

Contact Current Rating	.4 A
Operating Voltage	20 VAC

Body Features

Case Color	Red
Product Orientation	Vertical Right Angle
Bushing Style	Plain, Unthreaded

Contact Features

Contact Base Material	Gold
Switch Contact Plating Material	Gold



Termination Features

Termination Method to PCB	Through Hole - Solder
---------------------------	-----------------------

Mechanical Attachment

Product Mount Type	Panel & Printed Circuit Board
--------------------	-------------------------------

Housing Features

Process Sealed	No
----------------	----

Dimensions

Toggle Length	5.59 mm[.22 in]
---------------	-----------------

Industry Standards

UL Flammability Rating	UL 94V-0
------------------------	----------

Product Compliance

For compliance documentation, visit the product page on [TE.com](#)>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量超出标准 Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (4% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on



requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



TE Part # 2267074-3
PMS9P1B05M2QE



TE Part # 2267074-1
PMS9P1B05M2RE




TE Part # 2267076-3
PMS8P1B09M2RE




TE Part # 2267074-4
PMS9P1B05M2QE

Customers Also Bought



TE Part #464636-E
STVC 96 F ABC VV 7-00 EE 4,0 * 137 E007



TE Part #254590-E
SMCQ 40 M AB VV 8-13 CL * H007 137 E005



TE Part #1-406541-1
MJ,INV,1X1,6PNL G.,100"ST,SN



TE Part #1617130-1
JMSPD-12XM = M39016/16-027M



TE Part #5-1618388-5
LEV200H5ANA=RELAY, SPST-NO



TE Part #5-1676914-1
YR1 0.1% 51K1




TE Part #1734035-1
MINI USB, TYPE B, R/A, SMT



TE Part #5767007-8
MICT,260PLUG,38,ASSY,.025,REC



TE Part #5767096-8
MICT,REC,038,ASY,.025,TAPE,CAP



TE Part #4-1437144-0
FSN-23A-20=NOMEX FS STD

Documents

Product Drawings

TMS1T5B2M7RE

English



CAD Files

Customer View Model

ENG_CVM_CVM_2267078-4_A1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2267078-4_A1.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_2267078-4_A1.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

Subminiature Switches

English