VERSAFLEX-1/4-0-SP ✔ ACTIVE


RAYCHEM | RAYCHEM VERSAFLEX

TE Internal #: CH02024001

Braid Wall, Polyester, Non-Flame-Retardant, Box, -50 – 150 °C [-58 – 302 °F], Mechanical Damage, Flexible, Global, RAYCHEM VERSAFLEX

View on TE.com >

Heat Shrink Tubing > VERSAFLEX Heat Shrink Tubing



Wall Type: **Braid Wall**

Primary Product Material: **Polyester**

Tubing Flammability Type: **Non-Flame-Retardant**

Packaging Method: **Box**

Operating Temperature Range: **-50 – 150 °C [-58 – 302 °F]**

All VERSAFLEX Heat Shrink Tubing (39)

Features

Product Type Features

Wall Type	Braid Wall

Body Features

Primary Product Material	Polyester
Flexibility	Flexible

Dimensions

Tubing Size Range	3. – 10. mm[.118 – .394 in]

Usage Conditions

Resistance Properties	Moisture
Tubing Flammability Type	Non-Flame-Retardant
Operating Temperature Range	-50 – 150 °C[-58 – 302 °F]

Operation/Application

Mechanical Resistance	Mechanical Damage

Product Availability

Applicable Region	Global

Packaging Features

Packaging Method	Box

Other

Meets Low Outgassing Requirements	No
Product Source	Europe

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Part # EG1114-000
CV1981-ST-230V1600W-EU

Also in the Series | RAYCHEM VERSAFLEX



Heat Shrink Tubing(34)


Customers Also Bought




TE Part #CH02054001
VERSAFLEX-3/4-0-SP



TE Part #4525DO-DS5AI001DP
1PSI PCB MOUNT I2C DIFF PRESSURE SENSOR



TE Part #3310033004
55A1111-22-9-9



TE Part #1-796692-2
TERMI-BLOK PCB MOUNT 1&2 12P.5



TE Part #1617150-4
JMGSCD-12PW = M39016/42-051P




TE Part #1-1617543-2
JMGSCDD-9MW=M39016/43-051M



TE Part #1-1879417-1
CPF 0603 470K 0.1% 25PPM 1K RL



TE Part #2154829-3
High Power Inverted Thru Board Con 4 Pos



TE Part #2332817-2
Vert RCPT Left End Half Multigig RT 3



TE Part #1-6609115-2
3EGG1-2 S0=F7385D

Documents

Product Drawings

VERSAFLEX-1/4-0-SP

English

Datasheets & Catalog Pages

Application Tooling for Raychem Heat Shrink Product

English

Versaflex and Versaflex-FR

English

Product Specifications

Quality Specification

English