2208728-1 ✔ ACTIVE

MCON | MCON Interconnection System

TE Internal #: 2208728-1

Black, Cover Assembly, PA 66 GF, 180 ° Cable Exit, -40 – 120 °C [-40 – 248 °F], MCON Interconnection System

View on TE.com >

Automotive Parts > Automotive Connector Accessories > Automotive Connector Caps & Covers







Primary Product Color: **Black**

Protection & Strain Relief Accessory Type: **Cover Assembly**

Primary Product Material: **PA 66 GF**

Cable Exit Angle: **180 °**

Strain Relief: **Without**

Features

Product Type Features

Sealable	No
Protection & Strain Relief Accessory Type	Cover Assembly

Body Features

Primary Product Color	Black
Primary Product Material	PA 66 GF
Cable Exit Angle	180 °

Mechanical Attachment

Strain Relief	Without

Usage Conditions

Operating Temperature (Max)	120 °C[248 °F]
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	有害物质含量符合标准要求 No Restricted Substance(s) Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2025 (250) Candidate List Declared Against: JUNE 2025 (250) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 1-2208720-1
105POS,MCON 1.2 CB,REC HSG, ASSY,SLD




TE Part # 2208709-1
91POS, MIXED,REC HSG,ASSY, SEALED



TE Part # 2208720-1
105POS,MCON 1.2 CB,REC HSG, ASSY,SLD

Also in the Series | MCON Interconnection System



Automotive Connector Locks & Position Assurance(16)




Automotive Housings(116)



Automotive Seals & Cavity Plugs(12)




Automotive Signal & Power Connector Housings(116)




Other Automotive Connector Accessories(1)

Customers Also Bought



TE Part #280924
FF 250 & 375 TAB HSG 2P NYLON NAT



TE Part #967543-2
2.8MM SFC, TERMINAL, SWS, LL



TE Part #1241608-6
MQS1,5 Ag rec CB unseal. 0,75-1,5



TE Part #1-1703963-1
16POS,AMP MCP1.5K,REC HSG,ASSY, SEALED



TE Part #1-2203771-2
Plug Ass'y, 3P Sealed, Key B, CPA



TE Part #2208729-1
COVER,OUTGOING VERTICAL,ASSY



TE Part #2345388-1
2POS,AMP MCP 2.8,REC HSG ASSY, SLD,COD 1



TE Part #2366509-1
48POS,HYBRID,PIN HSG ASSY,SLD, COD A



TE Part #2-2366509-1
48POS,HYBRID,PIN HSG ASSY,SLD, COD A



TE Part #936248-2
090 SLD 2P PLUG ASSY BLACK

Documents

Product Drawings

COVER,OUTGOING DIRECT,ASSY

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2208728-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2208728-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2208728-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages

Data sheet

English